



This pack enables you to create a connected installation in your home. You can complete your installation with Arteor with Netatmo sockets, switches, lighting micromodules and wireless controls.

### Pack contents



Gateway




Leave home/back  
home general control




Repositionable  
adhesives

### ① Step by step installation

#### Choose a place to install the Gateway



WIFI OK



- 1 If there is an Internet router in the home, use a smartphone to check if the WiFi signal is strong enough in the chosen place.
- 2 If there isn't a router yet, choose a place near a fiber or telephone socket which will be used for the router.
- 3 Install the Gateway.  
This is compatible with standard 60 x 35 mm deep flush-mounting boxes attached with screws.

## ② Necessary safety precautions

1



Switch OFF the power at the main circuit breaker

OFF

2



Make sure that the power is OFF before continuing with the installation.

## ③ install the Gateway

### 1 Wire the gateway


1.5 or 2.5 mm<sup>2</sup> rigid wire

Frequency bands: 2.4 - 2.4835 GHz


Power level: < 100 mW

— N (neutral) = blue


— L (live) = any except blue and green/yellow




### 2 Install the gateway




④ Complete your installation with additional products (not included in this pack)




Connected  
socket module




Connected switch without neutral  
(with dimmer option) + bleeder



Connected switch  
for rolling shutter




Connected switch  
with neutral




Connected lighting  
micromodule


Wire products using the individual installation instructions provided in the packaging of each of them.




Wireless lighting  
control



Wake up / Sleep  
wireless control



Wireless lighting  
control



Wireless control  
for rolling shutters

**The wireless controls will be installed later.**

**5 Power the wired products**  
**Mandatory installation steps**

**1**



**OFF**

Ensure that the main circuit breaker has been turned off and that no product is being powered.






**2**




**ON**

Turn the power on at the main circuit breaker


**3** The indicator lights on the products that you have wired turn red.



6 Power the wireless general control



Remove the battery's protective strip to power the **wireless general control**.




Press the **wireless general control** briefly to activate it. The indicator light will flash green and then switch off. The indicator light on the **gateway** will also switch off.


Do not attach the wireless general control to the wall. The installation will be completed in step 12.

7 Start to configure the installed products


- 1 Take the **wireless general control** near the **gateway** and press the middle of the control until its light briefly turns green, and then stop pressing.




- 2 The indicator lights on the products that you have wired will turn green one by one.



**8 Prepare the wireless controls (not included in this pack)**



**Remove the protective strip from each of the wireless controls.**



**Briefly press each of the wireless controls to activate them. The indicator lights will flash green and then switch off.**

Do not attach the wireless controls to the wall. The installation will be completed in step 12.


**If you do not have wireless controls, go straight to step 11**

## 9 Pair the wireless controls to control the connected switches and connected socket modules



Make sure that the indicator lights on the wired products are green and not flashing. If not, go back to step 7.

### 1 To pair a wireless control with a connected light switch




**A** Keep pressing the button on the wireless control and tap the switch you want to control 3 times with this control.

**B** The two indicator lights on the product will flash blue rapidly.

**C** The indicator lights on the two products will briefly turn blue, and then the light on the wired product will turn green again and the light on the wireless control will switch off. The pairing was successful.

### 2 To pair a wireless control with a connected lighting micromodule



**A** Keep pressing the button on the wireless control and tap the micromodule you want to control 3 times with this control.


**B** The two indicator lights on the product will flash blue rapidly.

**C** The indicator lights on the two products will briefly turn blue, and then the light on the wired product will turn green again and the light on the wireless control will switch off. The pairing was successful.



**9 Pair the wireless controls to control the connected switches and connected power sockets (cont.)**

**3 To pair a wireless control with a connected socket module**



- A** Keep pressing the button on the wireless control and tap the socket you want to control 3 times with this control.
- B** The two indicator lights on the product will flash blue rapidly.
- C** The indicator lights on the two products will briefly turn blue, and then the light on the wired product will turn green again and the light on the wireless control will switch off. The pairing was successful.

**Multiple pairing**


You can control several lights and devices with the same wireless control by repeating the operation for each product that you want to control.

## 10 Pair the wireless controls for rolling shutters





Make sure that the indicator lights on the wired products are green and not flashing. If not, go back to step 7.

1



Only use wireless controls for rolling shutters (not included in this pack)

### 2 To pair a wireless control with a connected rolling shutters switch




- A** Keep pressing the button on the wireless control and tap the switch for rolling shutters you want to control 3 times with the control.
- B** The two indicator lights on the product will flash blue rapidly.
- C** The indicator lights on the two products will briefly turn blue, and then the light on the wired product will turn green again and the light on the wireless control will switch off. The pairing was successful.

#### Multiple pairing:

You can control several rolling shutters with the same wireless control by repeating the operation for each product that you want to control.


### If necessary, cancel the wireless control pairing

- 1 Press the middle of the button on the wireless control until the indicator light turns orange without flashing.
- 2 Confirm the cancellation by briefly re-pressing the middle of this button on the wireless control and the light will turn blue and then switch off. The pairing has now been cancelled.



You can pair the wireless control with new products by starting again from step ⑨.

### ⑪ Complete the configuration




To complete your installation,  
briefly press the middle of the **wireless general control**.

**All the indicator lights on the products will switch off.**



## 12 Attach the wireless controls

Attach the Leaving home/Coming home general control near the entrance and attach the other wireless controls where you want.

Put the adhesives in place




Before you attach the wireless control(s) with the repositionable adhesives provided, test one on a non-visible area of the wall.



You can also attach the wireless control(s) permanently to the wall with screws.

### 13 Download the application

Your installation is ready. You can download the **Legrand Home + Control** application to control your lighting, roller shutters and electrical devices remotely.



### HomeKit (by using the Home application)

Controlling this HomeKit accessory requires the use of an iPhone, iPad or iPod touch with iOS 9.0 or later. The automatic and remote control of this HomeKit accessory requires an Apple TV with TvOS 10.0 or later or an iPad with iOS 10.0 or later, or a HomePod configured as a hub.

### Legal notice

The use of products bearing the Apple HomeKit label indicates that an electronic accessory was designed to be specifically connected to an iPod, iPhone or iPad, and was certified by the developer to meet Apple performance standards.

Apple is not responsible for whether or not this device functions correctly or complies with safety and regulatory standards. Please note that the use of this accessory with an iPod, iPhone or iPad may affect wireless performance.

iPhone, iPod and iPad are registered trademarks of Apple Inc., and registered in the U.S. and in other countries.

HomeKit is a registered trademark of Apple Inc.

App Store is a service mark of Apple Inc.

Android, Google Play and the Google Play logo are trademarks of Google Inc.



[www.legrand.fr/reference/574218](http://www.legrand.fr/reference/574218)

LEGRAND - Pro and Consumer Service - BP 30076  
87002 LIMOGES CEDEX FRANCE • [www.legrand.com](http://www.legrand.com)

Your products are compatible with Apple HomeKit technology to control your connected home.

This enables you, for example, to control your products with your voice using the Siri virtual assistant on your iPhone, iPad, or iPod touch.

(Subject to vocal assistant and language availability in your country)



**Unique Apple HomeKit  
installation code to be kept**

Apple HomeKit:

When you install the iOS mobile application,  
you will be asked for this code.

#### **Safety instructions**

This product should be installed in compliance with installation rules, preferably by a qualified electrician. Incorrect installation and/or incorrect use can lead to risk of electric shock or fire.

Before carrying out the installation, read the instructions and take account of the product's specific mounting location.

Do not open up, dismantle, alter or modify the device except where specifically required to do so by the instructions. All Legrand products must be opened and repaired exclusively by personnel trained and approved by Legrand. Any unauthorised opening or repair completely cancels all liabilities and the rights to replacement and guarantees. Use only Legrand brand accessories.

## **SIMPLIFIED EU DECLARATION OF CONFORMITY**

The undersigned,

**Legrand**

declares that the radio-electric equipment referred to in these instructions  
complies with directive 2014/53/EU.

The full text of the EU declaration of conformity  
is available on the following website:


***[www.legrandoc.com](http://www.legrandoc.com)***

تتيح لك هذه العلبة تركيب منتجات متصلة في منزلك. يمكنك استكمال المنتجات المركبة لديك بالمقابس، والمفاتيح، ووحدات الإضاءة الصغيرة، ووحدات التحكم اللاسلكية ماركة Arteor with Netatmo.


### محتويات العلبة

4

شرائط لاصقة قابلة  
لإعادة الاستعمال




وحدة تحكم عمومية  
لمغادرة المنزل/العودة  
إلى المنزل




بوابة الإتصال

### ① خطوات عملية التركيب

اختيار مكان لتركيب بوابة الإتصال



إشارة  
WIFI قوية



① في حالة وجود جهاز توجيه إنترنت في المنزل، استخدم هاتفاً ذكياً للتحقق من قوة إشارة WiFi بدرجة كافية في المكان الذي وقع عليه اختيارك.

② إذا لم يكن هناك جهاز توجيه بعد، فاختر مكاناً قريباً من مقبس الألياف أو مقبس الهاتف الذي سيتم استخدامه لتوصيل جهاز التوجيه.

③ ركب البوابة الإتصال.  
هذه البوابة متوافقة مع الصناديق القياسية بمقاس 35 x 60 ملم المخصصة للتركيبات داخل الجدار والتي يتم تثبيتها بواسطة براغي.

## ② احتياطات السلامة الضرورية

2

تأكد من فصل التيار الكهربائي قبل متابعة خطوات عملية التركيب.



1

افصل التيار الكهربائي من القاطع الرئيسي للدائرة الكهربائية




مفصول

## ③ تركيب بوابة الإتصال

1 قم بتوصيل أسلاك بوابة الإتصال


سلك صلب مقاس 1.5 أو 2.5 ملم<sup>2</sup>

نطاقات التردد: 2.4 - 2.4835 جيجاهرتز  
مستوى القدرة: > 100 مللي واط




— م (محايد) = أزرق  
— ك (خط كهربائي) = أي واحد فيما عدا الأزرق والأخضر/الأصفر

2 ركب بوابة الإتصال







④ استكمال عملية التركيب باستخدام المنتجات الإضافية (غير موجودة في هذه العلبة)




وحدة المقبس المتصل




المفتاح المتصل دون سلك محايد (مع مفتاح تغيير شدة الإضاءة الاختياري) + صمام تفرغ



المفتاح المتصل الخاص بالستارة اللقافة




المفتاح المتصل مع السلك المحايد




وحدة الإضاءة الصغيرة المتصلة


قم بتوصيل المنتجات بالاستعانة بإرشادات التركيب الفردية المرفقة في العلبة الخاصة بكل منتج.




وحدة التحكم اللاسلكية في الإضاءة



وحدة التحكم اللاسلكية لوضع التنبيه/السكون



وحدة التحكم اللاسلكية في الإضاءة



وحدة التحكم اللاسلكية الخاصة بالستائر اللقافة

سيتم تركيب وحدات التحكم اللاسلكية لاحقاً.

⑤ تشغيل المنتجات الموصلة  
خطوات التركيب اللازمة

2

قم بتوصيل التيار  
الكهربائي بالقاطع  
الرئيسي للدائرة الكهربائية



موصّل






1

تأكد من إيقاف تشغيل القاطع  
الرئيسي للدائرة الكهربائية  
ومن عدم وجود أي منتجات  
قيد التشغيل.




مفصول

3 تضيء الإشارات الضوئية الموجودة بالمنتجات التي قمت بتوصيلها باللون الأحمر.




1

انزع الشريط الواقي للبطارية لتشغيل وحدة التحكم العمومية اللاسلكية.



2




اضغط على وحدة التحكم العمومية اللاسلكية لفترة وجيزة لتنشيطها. تومض الإشارة الضوئية باللون الأخضر ثم تنطفئ. تنطفئ كذلك الإشارة الضوئية الموجود ببوابة الإتصال.


لا تتم بتعليق وحدة التحكم العمومية اللاسلكية على الحائط. سيتم استكمال عملية التركيب في الخطوة رقم (12).

## 7 البدء في برمجة المنتجات المركبة

1 ضع وحدة التحكم العمومية اللاسلكية بالقرب من بوابة الإتصال، واضغط على الجزء الأوسط من وحدة التحكم حتى تضئ الإشارة الضوئية الخاصة بها باللون الأخضر لفترة وجيزة، ثم ارفع إصبعك.





2 تضئ الإشارة الضوئية الموجودة بالمنتجات التي قمت بتوصيلها باللون الأخضر الواحد تلو الأخر.



ملاحظة: إذا لم تضئ الإشارة الضوئية الموجودة ببعض المنتجات باللون الأخضر وتوقفت عن الوميض، فكرر الخطوتين رقم (5) و(7).

8) تجهيز وحدات التحكم اللاسلكية (غير موجودة في هذه اللعبة)



اضغط لفترة وجيزة على كل وحدة من وحدات التحكم اللاسلكية لتنشيطها.  
تومض الإشارات الضوئية باللون الأخضر ثم تنطفئ.

لا تقم بتعليق وحدات التحكم اللاسلكية على الحائط. سيتم استكمال عملية التركيب في الخطوة رقم 12.


إذا لم تكن لديك وحدات تحكم لاسلكية، فانتقل مباشرة إلى الخطوة رقم 11

## 9 تعريف وحدات التحكم اللاسلكية للتحكم في المفاتيح المتصلة ووحدات المقابس المتصلة

تأكد من أن الإشارات الضوئية الموجودة بالمنتجات الموصلة مضاءة باللون الأخضر وليست وامضة. إذا لم تكن مضاءة، فارجع إلى الخطوة رقم 7.



### 1 لتعريف وحدة تحكم لاسلكية بمفتاح إضاءة متصل




أ) اضغط باستمرار على الزر الموجود بوحدة التحكم اللاسلكية ثم انقر ثلاث مرات فوق المفاتيح الذي تريد التحكم فيه باستخدام وحدة التحكم هذه.

ب) تومض الإشارتان الضوئيتان الموجودتان بالمنتج باللون الأزرق بصورة سريعة.

ج) تضيء الإشارات الضوئية الموجودة بالمنتجين باللون الأزرق لفترة وجيزة، ثم تضيء الإشارة الضوئية الموجودة بالمنتج الموصل باللون الأخضر مرة أخرى، وتطفئ الإشارة الضوئية الموجودة بوحدة التحكم اللاسلكية. تم بذلك إجراء عملية التعريف بنجاح.

### 2 لتعريف وحدة تحكم لاسلكية بوحدة إضاءة صغيرة متصلة




أ) اضغط باستمرار على الزر الموجود بوحدة التحكم اللاسلكية ثم انقر ثلاث مرات فوق الوحدة الصغيرة التي تريد التحكم فيها باستخدام وحدة التحكم هذه.

ب) تومض الإشارتان الضوئيتان الموجودتان بالمنتج باللون الأزرق بصورة سريعة.

ج) تضيء الإشارات الضوئية الموجودة بالمنتجين باللون الأزرق لفترة وجيزة، ثم تضيء الإشارة الضوئية الموجودة بالمنتج الموصل باللون الأخضر مرة أخرى، وتطفئ الإشارة الضوئية الموجودة بوحدة التحكم اللاسلكية. تم بذلك إجراء عملية التعريف بنجاح.

٩ تعريف وحدات التحكم اللاسلكية للتحكم في المفاتيح المتصلة ومقابس التيار المتصلة (تابع)

3 لتعريف وحدة تحكم لاسلكية بوحدة مقبس متصل



١ اضغط باستمرار على الزر الموجود بوحدة التحكم اللاسلكية ثم انقر ثلاث مرات فوق المقبس الذي تريد التحكم فيه باستخدام وحدة التحكم هذه.

ب تومض الإشارتان الضوئيتان الموجودتان بالمنتج باللون الأزرق بصورة سريعة.

ج تضيء الإشارات الضوئية الموجودة بالمنتجين باللون الأزرق لفترة وجيزة، ثم تضيء الإشارة الضوئية الموجودة بالمنتج الموصل باللون الأخضر مرة أخرى، وتنتطفئ الإشارة الضوئية الموجودة بوحدة التحكم اللاسلكية. تم بذلك إجراء عملية التعريف بنجاح.

تعريف مجموعة من المنتجات

يمكنك التحكم في مجموعة من المصابيح والأجهزة باستخدام نفس وحدة التحكم اللاسلكية عن طريق تكرار العملية لكل منتج تريد التحكم فيه.


## 10 تعريف وحدات التحكم اللاسلكية الخاصة بالاستائر اللفافة

تأكد من أن الإشارات الضوئية الموجودة بالمنتجات الموصلة مضاءة باللون الأخضر وليست وامضة. إذا لم تكن مضاءة، فارجع إلى الخطوة رقم 7.





1

لا تستخدم سوى وحدات التحكم اللاسلكية الخاصة بالاستائر اللفافة (غير موجودة في هذه اللعبة)



2 لتعريف وحدة تحكم لاسلكية بمفتاح ستائر لفاافة متصل



أ اضغط باستمرار على الزر الموجود بوحدة التحكم اللاسلكية ثم انقر ثلاث مرات فوق المفتاح الخاص بالاستائر اللفافة الذي تريد التحكم فيه باستخدام وحدة التحكم هذه.

ب تومض الإشارتان الضوئيتان الموجودتان بالمنتج باللون الأزرق بصورة سريعة.

ج تضئ الإشارات الضوئية الموجودة بالمنتجين باللون الأزرق لفترة وجيزة، ثم تضئ الإشارة الضوئية الموجودة بالمنتج الموصل باللون الأخضر مرة أخرى، وتتطفئ الإشارة الضوئية الموجودة بوحدة التحكم اللاسلكية. تم بذلك إجراء عملية التعريف بنجاح.


**تعريف مجموعة من المنتجات:**

يمكنك التحكم في مجموعة من الستائر اللفافة باستخدام نفس وحدة التحكم اللاسلكية عن طريق تكرار العملية لكل منتج تريد التحكم فيه.




## إلغاء عملية تعريف وحدة التحكم اللاسلكية إذا لزم الأمر

- 1 اضغط على الجزء الأوسط من الزر الموجود بوحدة التحكم اللاسلكية حتى تضئ الإشارة الضوئية باللون البرتقالي بصورة ثابتة.
- 2 قم بتأكيد إجراء الإلغاء عن طريق إعادة الضغط لفترة وجيزة على الجزء الأوسط من هذا الزر الموجود بوحدة التحكم اللاسلكية وسوف تضئ الإشارة الضوئية باللون الأزرق ثم تنطفئ. تم بذلك إلغاء عملية التعريف.



يمكنك تعريف وحدة التحكم اللاسلكية بمنتجات جديدة عن طريق البدء مجددًا من الخطوة رقم 9.

## 11 استكمال عملية البرمجة




لاستكمال عملية التركيب،  
اضغط لفترة وجيزة على الجزء الأوسط من وحدة التحكم العمومية اللاسلكية.

**تنطفئ كل الإشارات الضوئية الموجودة بالمنتجات.**



## 12 تعليق وحدات التحكم اللاسلكية

قم بتعليق وحدة التحكم العمومية لمغادرة المنزل/العودة إلى المنزل بالقرب من المدخل وتعليق وحدات التحكم اللاسلكية الأخرى في الأماكن التي تريدها.

ضع الشرائط اللاصقة في أماكنها




قبل تعليق وحدات التحكم اللاسلكية باستخدام الشرائط اللاصقة المرفقة القابلة لإعادة الاستعمال، جرب واحداً منها على جزء غير ظاهر من الحائط.



قد ينفصل الهيكل في حالة تركيب مجموعات مكونة من منتجين أو ثلاثة.

يمكنك أيضاً تعليق وحدات التحكم اللاسلكية على الحائط بشكل دائم باستخدام براغي.

المنتجات التي قمت بتركيبها جاهزة الآن للاستخدام. يمكنك تحميل التطبيق **Home + Control** المقدم من شركة **Legrand** من أجل التحكم عن بُعد في أنظمة الإضاءة، والستائر الذكية، والأجهزة الكهربائية الخاصة بك.



### HomeKit (باستخدام التطبيق Home)

يتطلب التحكم في هذا الملحق المزود بتكنولوجيا HomeKit استخدام جهاز iPhone، أو iPad، أو iPod touch بنظام التشغيل iOS 9.0 أو إصدار أحدث. كما تتطلب إمكانية التحكم أوتوماتيكياً وعن بُعد في هذا الملحق المزود بتكنولوجيا HomeKit جهاز تليفزيون Apple بنظام التشغيل TvOS 10.0 أو إصدار أحدث، أو جهاز iPad بنظام التشغيل iOS 10.0 أو إصدار أحدث، أو جهاز HomePod مُكون بمثابة موزع.

### إشعار قانوني

يعني استخدام المنتجات التي تحمل الملصق Apple HomeKit أن الملحق الإلكتروني مصمم لكي يتم توصيله على وجه الخصوص بجهاز iPod، أو iPhone، أو iPad كما أنه معتمد من جهة التطوير لتلبية معايير الأداء المحددة من جانب شركة Apple. لا تتحمل شركة Apple المسؤولية عن عمل هذا الجهاز بصورة صحيحة أو لا، أو توافقه مع معايير السلامة والمعايير التنظيمية. يرجى ملاحظة أن استخدام هذا الملحق مع أجهزة iPod، أو iPhone، أو iPad قد يؤثر على أداء الاتصال اللاسلكي. iPad، وiPhone، وiPod هي علامات تجارية مسجلة لشركة Apple Inc، وهي مسجلة في الولايات المتحدة والبلدان الأخرى.

HomeKit هي علامة تجارية مسجلة لشركة Apple Inc.

App Store هي علامة خدمة لشركة Apple Inc.

Android، وGoogle Play، وشعار Google Play هي علامات تجارية لشركة Google Inc.



[www.legrand.fr/reference/574218](http://www.legrand.fr/reference/574218)

المنتجات الخاصة بك متوافقة مع تكنولوجيا HomeKit من Apple من أجل التحكم في منزلك المتصل.  
تتيح لك هذه التكنولوجيا، على سبيل المثال، التحكم في المنتجات الخاصة بك عبر الأوامر الصوتية باستخدام وظيفة المساعدة الافتراضية Siri المتوفرة على جهاز iPhone، أو iPad، أو iPod touch الخاص بك.  
(يعتمد ذلك على توفر وظيفة المساعدة الصوتية واللغة في بلدك)



رمز تثبيت Apple HomeKit  
الفردي يلزم الاحتفاظ به



:Apple HomeKit

ستتم مطالبتك بهذا الرمز عند تثبيت تطبيق iOS للأجهزة المحمولة.

إرشادات الأمان: ⚠️

يجب تركيب هذا المنتج طبقاً لقواعد التركيب ويفضل أن يقوم بالتركيب كهربائي مؤهل. فقد يؤدي التركيب الخاطئ و/أو الاستخدام الخاطئ إلى مخاطر التعرض لصدمة كهربائية أو نشوب حريق.  
اقرأ النشرة قبل التركيب، وأفرد مكاناً لتركيب المنتج خاصاً به.  
لا تفتح أو تعطل أو تحوّر المنتج ما لم يُشر إلى ذلك بشكلٍ محدد في النشرة. فكل منتجات Legrand يجب فتحها وإصلاحها حصراً من قبل فنيين مدربين ومؤهلين لدى Legrand. وكل فتح أو إصلاح غير مسموح به يُبطل المسؤوليات وحقوق الاستبدال والضمانات. لا تُستخدم سوى إكسسوارات من ماركة Legrand حصراً.

## SIMPLIFIED EU DECLARATION OF CONFORMITY

The undersigned,

**Legrand**

declares that the radio-electric equipment referred to in these instructions complies with directive 2014/53/EU.

The full text of the EU declaration of conformity is available on the following website:

[www.legrandoc.com](http://www.legrandoc.com)