



# DYNAMEX LED EXIT SIGN

A 3-in-1 DYNAMIC EXIT SIGN FOR SAFE AND EFFECTIVE BUILDING EVACUATIONS

# Activates in emergency situations

During an emergency, people immediately search for the nearest exit assuming it's a safe evacuation point. Dynamex provides an instant visual indication on whether the exit is in safe use, allowing for faster evacuations while reducing the risk of hazards. Faster evacuations ensure optimal safety.

THE DYNAMIC MODES ARE ACTIVATED WHEN TRIGGERED FROM A FIRE PANEL.



Dynamex operates as a standard exit sign in normal operation



When in **positive enforcement**, the white flashing LEDs on Dynamex indicate a safe exit path.



When in **negative enforcement**, the red flashing LEDs on Dynamex indicate that there may be a hazard and this exit path should be avoided.

# Unique and Slim Design

Dynamex is suitable for all emergency exit applications.

Dynamex is easy to install and operate, available in standalone or computer monitored via Legrand's award winning GALAXY® Connected Emergency Lighting System, simplifying emergency lighting testing procedures.



IDEAL FOR:

## Public buildings with high people traffic

Shopping centres, airports, train stations, universities, hospitals and commercial buildings



## STANDALONE - RECESSED

Cat No	Description
659536LI	Maintained LED single sided RM straight – LIION
659537LI	Maintained LED single sided RM left – LIION
659538LI	Maintained LED single sided RM right – LIION
659539LI	Maintained LED double sided RM straight – LIION
659540LI	Maintained LED double sided RM left/right – LIION

## GALAXY - RECESSED

Cat No	Description
659090LI	Maintained LED single sided RM straight – LIION
659089LI	Maintained LED single sided RM left – LIION
659088LI	Maintained LED single sided RM right – LIION
659108LI	Maintained LED double sided RM straight – LIION
659109LI	Maintained LED double sided RM left/right – LIION



659536LI - DO NOT EXIT MODE



659536LI - FLASHING MODE

## STANDALONE - SURFACE MOUNTED

Cat No	Description
659541LI	Maintained LED single sided RM straight – LIION
659542LI	Maintained LED single sided RM left – LIION
659543LI	Maintained LED single sided RM right – LIION
659544LI	Maintained LED double sided RM straight – LIION
659545LI	Maintained LED double sided RM left/right – LIION

## GALAXY - SURFACE MOUNTED

Cat No	Description
659093LI	Maintained LED single sided RM straight – LIION
659092LI	Maintained LED single sided RM left – LIION
659091LI	Maintained LED single sided RM right – LIION
659110LI	Maintained LED double sided RM straight – LIION
659111LI	Maintained LED double sided RM left/right – LIION



659541LI - DO NOT EXIT MODE



659541LI - FLASHING MODE

## STANDALONE - SUSPENDED

Cat No	Description
659546LI	Maintained LED single sided RM straight 10m remote gear – LIION
659547LI	Maintained LED single sided RM left 10m remote gear – LIION
659548LI	Maintained LED single sided RM right 10m remote gear – LIION
659549LI	Maintained LED double sided RM straight 10m remote gear – LIION
659550LI	Maintained LED double sided RM left/right 10m remote gear – LIION

## GALAXY - SUSPENDED

Cat No	Description
659112LI	Maintained LED single sided RM straight 10m remote gear – LIION
659113LI	Maintained LED single sided RM left 10m remote gear – LIION
659114LI	Maintained LED single sided RM right 10m remote gear – LIION
659115LI	Maintained LED double sided RM straight 10m remote gear – LIION
659116LI	Maintained LED double sided RM left/right 10m remote gear – LIION



659546LI - DO NOT EXIT MODE



659546LI - FLASHING MODE

## ACCESSORIES

Cat No	Description
659457	L-Bracket
659458	Wall bracket
659456	Power Supply for max 20 inputs

Legrand is an active member of



Legrand Australia  
1300 369 777  
www.legrand.com.au

Legrand New Zealand  
0800 476 009  
www.legrand.co.nz