


Important Consideration before Installation

- Requires prior installation of Excel Life with Netatmo Gateway or Starter Kit (EWNSKIT Series).
- Switch OFF the mains power and circuit breaker before installation.
- To control the smart socket outlet remotely, use the Home + Control app, wireless switches (one or several), or digital assistants
- Do not use a smart switch (or dimmer) to control a smart socket outlet or a traditional socket outlet.
- Incorrect installation and/or incorrect use can lead to the risk of electric shock or fire.
- Any unauthorised opening or repair completely cancels all liabilities and the rights to replacement and quarantees.
- Use only Legrand brand accessories.

1. Install the smart socket outlet

Retrofit:Remove existing socket outlet from the wall.




New installation: Mount wall bracket or clip as you would normally do for standard sockets.

Note: The circuit must be protected by a suitably-sized circuit breaker.



2. Wire the smart socket outlet E (Earth): Green/Yellow N (Neutral): Blue/Black L (Active): Red/Brown

3. Screw the smart socket outlet to the wall bracket



To add a smart product to your smart installation, follow the instructions:

- in the user guide in your Starter kit.
- in the Legrand Home + Control application (Settings/Add a new product section)
- or consult the user manual on http://ecat.legrand.com.au.




4. To activate the LED indicator for socket status

a. In the Legrand Home + Control application





Go to settings



Select "Manage my Home"

Log out

My account






Select the room in which the smart socket is installed.





Select the smart socket





Click on toggle "Identify easily when the socket is activated".



Product Notes

1. This product must be installed by a licenced electrician. 2. This product must be installed and used as per these instructions and take account of the product's specific mounting location. 3. This product should only be cleaned with a damp cloth. Cleaning agents and solvents should not be used. 4. This product has no user-serviceable part and no attempt should be made to repair this product. For repair please contact Legrand. 5. Extended exposure to UV rays (such as exposure to direct sunlight) may cause discolouration of this product. 6. Severe electromagnetic interference from other products may cause malfunction of this product. 7. This product is not suitable for marine environments such as areas subject to salt spray and/or mist. 8. This product is not suitable for installation in hazardous and/or corrosive areas. 9. The material in this product may vary in colour from batch to batch. Colour matching from one batch to another cannot be guaranteed. 10. Electrical installations periodically received transient over voltages. This product has been designed to minimise the effect of such voltages on the connected equipment. It may not give full protection for extreme over voltage transients such as those resulting from a close lightning strike. 11. Performance of this product may be affected if installed near RF transmitters such as mobile phone services or similar. Performance of this product may be affected if installed in or around substantially metal enclosures or structures. 12. This product utilises intellectual property in the form of the registered designs, trademarks, and/or patents. Such intellectual property remains the property of Legrand in all cases. 13. Legrand reserves their right to modify the specifications of this product at any time.

Warranty

Legrand Australia Pty Ltd will honour all statutory guarantees that you as a consumer are entitled to rely upon under the Australian and New Zealand Consumer Laws against a manufacturer, including a guarantee that this product is of acceptable quality.

To make a claim under any statutory guarantee you should first contact the supplier, or retailer from whom you purchased this product.

Customer Service

For all Customer Service and Technical Support enquires please call Monday to Friday during business hours.

Legrand Australia 1300 369 777 www.legrand.com.au

Legrand New Zealand 0800 476 009 www.legrand.co.nz

ABN: 31 000 102 661



01/2021