CLASSE 300EOS



The Evolution of Smart



CLASSE 300EOS THE EVOLUTION OF SMART









Classe 300EOS is the new 2 wire/ Wi-Fi handsfree connected video internal unit with built-in Amazon Alexa voice assistant. Using the Home + Security App, in addition to video door entry calls, the end-user can manage devices of the Netatmo security range, creating a simple and fast Smart security system.



Change your idea of a video internal unit.



DESIGN



The smart vision of the home

Distinctive design to meet the needs of contemporary living. Vertical and super slim. With its clean and modern design, it gives every type of home an innovative look, and offers a unique user experience.



blicino

Vertical display and curved shape: a disruptive and modern design, but also understated.



5" Touch Screen Vertical display for a better view of the caller



Face detection Wide camera span and ability to zoom into frame



Horizontal display Double "tap" the display to view the image in landscape format











Curved shape The shape of a welcome: a "welcoming effect" for residents and guests.

VIDEO DOOR ENTRY SYSTEM



Advanced interface





Intuitive use For simple smartphone-like gestures (swipe function)



Quick tips To guide you and suggest in a dynamic way







HOME + SECURITY

Always aware with the Home + Security App



The best App for a safe home

Alerts and notifications for incoming calls, motion and people detection, event information and door lock management with a simple and intuitive interface.



blicino

Answer the calls, activate the electrical door locks, activate the cameras and display the timeline of the events

> Manage up to 20 homes with your single account






•• ----- 0

INCOMING CALL Receive notification when someone

SEE WHO'S CALLING Answer the call and open the gate for the courier.

CHECK THE EVENTS Check who called you and if they left you








QUICK ACTIONS

- Activate electrical door locks - Activate timed staircase lights
- Call home / Intercom
- Monitor cameras
- Manage the video door entry answering machine



Security enhancement with integration of Netatmo devices

Video door entry system and security together

VIDEO DOOR ENTRY SYSTEM




Main entrance Incoming entrance call.

SECURITY



Secondary entrance and interiors Smart Outdoor Camera with Siren and movement detection. Smart Indoor Camera with face recognition.





A single App with an intuitive home page. It allows you to answer video door entry calls, activate the door lock and view images from Netatmo smart outdoor and indoor cameras.





Professional opportunity: Offer your services as an installer of simple smart security systems. Business opportunities: Access to a catalogue of smart and easy-to-install security devices.





Home + Security The best App for a safe home.

Solutions for a smart and complete protection of your home Security cameras, alarms, opening sensors, smoke detector. **Leave your home without worries.**

Netatmo solutions natively integrated in the Home + Security App





Smart Door and Window Sensors



Smart Outdoor Camera with Siren



Smart Video Doorbell



Smart Indoor Camera



Smart Indoor Siren

ALEXA BUILT-IN



The first video internal unit with built-in Alexa

Enjoy the full Alexa experience

Interacting with all its functions, such as: Custom routines - Play Music - Smart Home To set the clock alarms – Memos and video door entry functions.





Add any compatible "works with Alexa" devices, to offer your customers an increasingly Smart home.



NOTE: Alexa is not available in all languages and Countries. Alexa features and functionality may vary by location.



· hbom

2 wire standard installation

Wall mounted installation using the bracket supplied with no need of masonry works. Built-in Wi-Fi connectivity and same installation rules as for the 2 wire video internal units.



\bigcirc	
$\widetilde{\mathcal{M}}$	
₩	

No changes to your working habits. Same installation rules as for the 2 wire video internal units.


Forget complex installations and configurations of Ethernet networks, and continue to enjoy the **simplicity of 2 wire solutions.** Everything stays the same thanks to the Wi-Fi technology integrated in the video internal unit.



Simple and intuitive configuration

The configuration requires no IT skills.

You must only configure the classic 2 WIRE system parameters (entrance panel and internal unit SCS addresses, etc.). Your customer manages all the configurations of the Wi-Fi network and the App independently and intuitively. If necessary one can follow the information on the video door entry display and inside the Home + Security App menu.





Installation, connection of the two BUS wires, configuration of the main system parameters: job done! CONFIGURATION


Immediate and simple to associate

After the App download, a guided procedure allows the association between smartphone and Classe 300EOS.





A few simple guided steps to complete the association of the App with the video internal unit





The connection to the dedicated Cloud totally and safely automates the configuration on the home network (you do NOT need to configure your router). The video internal unit transfers all the configuration of the 2 WIRE video door entry system (cameras, door locks, activations etc.) to the App. From Smartphone, using the App, you can always display the mobile devices associated to it and decide which to disconnect or cancel at any time.

Suitable for all home environments



FOR SINGLE OR **SEMI-DETACHED HOUSES**

The easiest way to make your home safer.



18

INSTALLER INFO

Built-in connectivity for constant connection with the home.

Complete the system with Netatmo security solutions: Outdoor and indoor cameras, alarms, opening sensors, for a simple, smart and complete protection of the home.

> One single App (Home + Security) for the video door entry functions and the security of the home.

No extra work for the installer; easier to use for the end user. External pushbutton panel

2


Classe 300EOS video internal unit Smartphone





alexa built-in

J	
	H +








FOR MULTI-RESIDENTIAL APPLICATIONS

Install, configure and activate the system on location. All that your customer will then need to do, is to associate the H + S App to the system using their smartphone.



NOTE: For the sizing of multi-family systems refer to the General Installation Standards of the 2 Wire System Technical Guide.



REAL ESTATE AND INSTALLER INFO

Alexa ready apartments, for a first level Smart Home.

Preparation of the single apartment system for future expansions using Netatmo security solutions. Leaving to the end user the freedom to customise their home even at a later date.

> One single App (Home + Security) for the video door entry functions and the security of the home.

Flexible solution, suitable for every context and adaptable to every customer.

Warning: In multi-residential applications you need the extra power supply of the CLASSE 300EOS video internal unit (install 1 extra power supply 346020 for each Classe 300EOS).

SMART HOME



Classe300EOS comes with an embedded smart gateway for complete smart home automation.

Stay connected!






Flexibility and savings: For a Smart Home there is no need for additional gateways or webservers: you can choose the technology that you prefer.

A Smart Home with a simple App




HOME + SECURITY to manage all the video door entry and security functions inside and outside the home.




HOME + CONTROL to always have Smart functions (lights, sockets, shutters, temperature control) at hand... inside and outside the home.

MyHOME home automation system



Classe 300EOS Front view



Microphone

Back view

Speaker		
Plug-in connectors with screw clamps for connection (BUS-MH) – BUS SCS MyHome Home Automation system; (5M-1) – additional ringtone; (~_) – call to the floor external pushbutton		ON / OFF micro switch to enable the additional
$[\rightarrow \infty]$ – call to the nool external pushbutton Dip-switch to enable the safe door lock function $\widehat{\Theta}$		Line termination ON/OFF
Dip-switch to select the MASTER / SLAVE function		Connector for the connection to the LAN network using Ethernet accessory 344844
Configurator socket MINI-USB socket for firmware update	00:03:50:53:00:36	Plug-in connector with screw clamps for connection (2-1) – Additional power supply; (BUS-AV) – BUS SCS 2 wires video door entry system



Features and functions



344842

MAIN FEATURES

\checkmark	5" vertical touch screen colour LCD display	
V	Handsfree communication	
V	White finish	
V	Wall mounted installation using the supplied bracket	

AVAILABLE FUNCTIONS FROM VIDEO INTERNAL UNIT


\checkmark	Activation of the electrical door lock
V	Staircase light activation
V	Entrance panel/scrolling activation
V	Intercom
V	Floor call
V	Professional Studio (Office)
V	Video door entry answering machine
V	Master / Slave
V	Safe door lock
V	Wi-Fi connectivity
V	Built-in Alexa voice assistant
V	Notification management
V	Quick link - Favourite / most used functions
V	Favourite control
V	6 available ringtones



AVAILABLE FUNCTIONS FROM HOME + SECURITY APP

V	Answer a video door entry system call	
V	Activation of the electrical door lock	
V	Entrance panel/scrolling activation	
V	Staircase light activation	
V	Activation and monitoring of the smart Netatmo cameras	
\checkmark	Management of the Netatmo Security devices (smoke sensor, burglar-alarm siren, opening sensor)	
V	Video door entry answering machine	
V	Intercom call from smartphone to video internal unit	
V	History of the events	

Classe 300EOS Catalogue





346020

Item CLASSE 300EOS CONNECTED VIDEO INTERNAL UNIT 344842 2 wires/Wi-Fi handsfree connected video ir

2 wires/Wi-Fi handsfree connected video internal unit with built-in Amazon Alexa voice assistant, 5" vertical touch screen LCD display and video door entry answering machine. It has a physical key for door lock release and capacitive keys for the control of the main video door entry functions: handsfree communication, entrance panel activation /camera scrolling and Favourite key (can be configured to activate the quick actions most frequently used e.g. additional door locks, staircase light control, intercom). There are notification LEDs for: Wi-Fi network connection status, info / notifications and call exclusion. It is possible to easily interact with the built-in Alexa voice assistant, either using the dedicated capacitive keys or with your voice, and activate several functions, such as the video door entry functions, Smart Home, scenarios, reminders etc. Using the touch display, it is possible to access the notification list, as well as your favourite door entry, security and Smart Home controls (if any). Possibility of voice communication with the switchboard - if present in the system - after a specific call. The device must be configured by physically connecting the configurators, or using the menu, which will give better possibilities of customisation of associated functions and texts. Thanks to the Wi-Fi connection, you can associate the video internal unit to the Home + Security App (available for Android and iOS). The App allows to use the main video internal unit functions (receiving calls, door lock release, display of the event timeline and activation of the entrance panel/camera cycling). Through the Home + Security App, it is also possible to manage the products of the Netatmo security range (outdoor and indoor cameras, door and window sensors, indoor siren and smoke detector). This allows you to quickly and easily create a Smart security system. The device also allows to create and manage Smart Home functions, using the wired SCS BUS solution or the Zigbee solution, without the need for adding dedicated gateways. Wall mounted installation using the supplied bracket Possibility of Wi-Fi connection or using RJ45 ethernet cable with the dedicated accessory 344844.

ltem		ETHERNET ACCESSORY		
-	344844	Accessory cable for the wired connection of the Classe 300EOS video internal unit using an RJ45 Ethernet cable. To be purchased separately.		
	ltem	2 DIN ADDITIONAL POWER SUPPLY		



Netatmo safety devices Catalogue



NOC01-P2



NOC-S-P






DTG-P



ltem	SMART OUTDOOR CAMERA	ltem	SMART DOOR AND WINDOW SENSORS
NOCO1-P2	Smart outdoor safety camera with detection of people, animals and vehicles. Aluminium single monobloc construction. Ultra-resistant glass and plastic, protection against UV rays. Video sensor: 4MP. Resolution: Full HD 1080 p. Coding: H.264. Long-range detection: up to 20 m. Field of view: 100°. 8x digital zoomfor videos. Video live microphone. LED spotlight: 12 W, variable intensity. Infrared night vision: 15 m.	DTG-P	Smart opening sensors for doors and windows ideal for safety. Sensors with waterproof monobloc construction, vibration/ motion detection and open/closed status. Power supply with 2 AAA-type batteries included in the package. They only work with the smart indoor camera (sold separately): radio link between the sensors and the camera. Declaration of conformity and FCC. Open-source compatibility. Can be controlled and managed remotely with Home + Security app.
	Encryption protected access to the smartphone	lu u	
	using the Home + Security App. Weather resistant: designed for outdoor use (HZO protection).	ltem NDB-P	SMART VIDEO DOORBELL - COMING SOON Smart video doorbell for outdoor installation. Allows
ltem	SMART OUTDOOR CAMERA WITH SIREN		you to receive a video call on your smartphone when someone rings the doorbell. Equipped with Camera: 2 megapixels, 5x digital zoom. HDR function of automatic adaptation
NOC-S-P	Smart outdoor safety camera with detection of people, animals and vehicles. Equipped with 105 db alarm siren. Aluminium single monobloc construction. Ultra-resistant glass and plastic, protection against UV rays. Video sensor: 4MP. Resolution: Full HD 1080 p. Coding: H.264. Long-range detection: up to 20 m. Field of view: 100°. 8x digital zoon for videos. Video live microphone. LED spotlight: 12 W, variable intensity. Infrared night vision: 15 m. Encryption protected access to the smartphone using the Home + Security App. Weather resistant: designed for outdoor use (HZO protection).		to lighting conditions. Infrared night vision even in conditions of total absence of brightness. Video: Full HD 1080 p, portrait format 9:16. Field of view: 140° diagonal. Sound: high-quality speaker and microphone. Night vision: Infrared LED. Operating temperature: -10° to 40° C. Weather resistant: HZO protection and IP44 certification. Power supply: 8-24 VAC & 230 VAC; minimum 8 VA. Local storage on microSD memory card and optional storage on Dropbox or FTP server MicroSD card up to 32 GB (class 10). Data protection with encrypted connection for the highest level of privacy. Requirements: high speed internet access. The minimum required upload and download speed is 25 KB/s. Hotspots are not supported. Wireless specifications: Wi-Fi 802.11 b/g/n (2.4 GHz), Open/WEP/WPA/ WPA2-personal. Operation via Home + Security app (iOS 10 required minimum - Android 5.0 required minimum). Compatible with Apple HomeKit, Google Assistant and Amazon Alexa.www
ltem NSC01-P	SMART INDOOR CAMERA Smart indoor safety camera with people detection		
	consisting of an aluminium monobloc unit.	ltem	SMART INDOOR SIREN
	Video sensor: 4MP. 130° panoramic view for a wider coverage. High quality video with Full HD 1080 p viewing. Guaranteed day and night protection with infrared vision, for comfortable viewing even in total darkness. Recording only in case of intrusion, in respect of the privacy of the family. Encryption protected access to the smartphone using the Home + Security App. Declaration of conformity and FCC declarations. Open-source compatibility. It has to be connected to an electric socket with the supplied AC adapter.	NISO1-P	Smart indoor siren with 110 dB alarm, pre-recorded sounds and vibration sensor for tamper detection. Battery power supply or with a cable (not supplied) using the USB micro port. It only works with the smart indoor camera and must be installed in the same room: Bluetooth Low Energy (BLE) wireless connection with the smart indoor camera. Declaration of conformity and FCC declarations. Open-source compatibility. Operation using the Home + Security app.

Dimensional data





Classe 300EOS Legal notes

To use the video door entry call repeat service on a smartphone, the customer must acquire the technical equipment which allows access to the Internet, on the basis of an agreement made by the customer himself with an ISP (Internet Service Provider). BTicino plays no part in this. The customer must install the Home + Security App on his smartphone so that he can use some services which BTicino supplies as extras to the normal basic functions of the Classe 300EOS video internal unit. The services offered by means of the App require being able to interact with Classe 300EOS remotely and through the Internet. In these cases, the integration and good working between the video internal unit and App may depend on:

a) quality of the Wi-Fi signal;

b) type of access contract to the home internet;

c) type of data contract on the smartphone

When one of these 3 elements does not conform with the specifications required for product operation, BTicino accepts no responsibility for any faults. The product supports a VoIP streaming system. You must therefore check with your smartphone contract – data network – that it does not block it. We should also like to inform you that the service provided by BTicino – remote use via App – involves the use of data. The cost linked to data usage depends on the type of contract which the customer has with his ISP (Internet Service Provider) and is solely the customer's responsibility.



Video door entry system web configurator

Do you have to create a new video door entry system?


Use the video door entry system configurator.

Define in a few steps your type of system and the characteristics of the building. You can choose the products and functions that best suit your needs, starting from our KIT solutions.

You will also always be updated about our active promotions.

https://vdeconfigurator.bticino.com/

START HERE BY SELECTING THE TYPE OF BUILDING





Online quote with the single house configurator >



Online quote with the apartment complex configurator >

The configurator produces a list of the necessary materials and their prices.

Legrand Australia

Building 4, Nexus Industry Park 43-47 Lyn Parade, Prestons NSW 2170 Tel.: 1300 369 777 www.legrand.com.au

Legrand New Zealand

106-124 Target Road Glenfield, Auckland 0627 Tel.: 0800 476 009 www.legrand.co.nz

