

Data Sheet

DBX³ Distribution Boards



Technical Data	
Protection rating	IP42
Chassis	Din chassis 250A, 25kA/0.1s
Dimensions	590mm W x 225mm D x H (see chart)
Construction	1.5mm cold rolled steel
Colour	N12 Pastel Grey or X15 Electric Orange
Compliance	AS/NZ 3439.3

DBX³ Distribution Boards




- 24 to 84 pole
- Fitted with 250A Din Chassis 25kA/0.1s
- Ample space for wiring
- Double screw, split Earth and Neutral bars fitted
- Slotted ducts for better cable management
- 1 DIN rail or 2 DIN rail knock-out options
- Equipped with sturdy flush lock
- Reversible door
- Hinged escutcheon
- Top and bottom removable gland plates
- Circuit identification and schedule cards provided
- Extension box can be added as an option
- Available with or without Main switch (250A)
- Panel board depth 225mm including door (door = 20mm)



Distribution Boards with TOP row knock-out (1 knock-out)			
Poles	Dimensions (mm) height x width x depth	Cat No. Grey	Cat No. Orange
With 250A Main Switch			
24 pole	800 x 590 x 225	DB24P250M0800H	DB24P250M0800HO
36 pole	800 x 590 x 225	DB36P250M0800H	DB36P250M0800HO
48 pole	1000 x 590 x 225	DB48P250M1000H	DB48P250M1000HO
60 pole	1000 x 590 x 225	DB60P250M1000H	DB60P250M1000HO
72 pole	1200 x 590 x 225	DB72P250M1200H	DB72P250M1200HO
84 pole	1400 x 590 x 225	DB84P250M1400H	DB84P250M1400HO

Distribution Boards with TOP & BOTTOM row knock-outs (2 knock-outs)			
Poles	Dimensions (mm) height x width x depth	Cat No. Grey	Cat No. Orange
With 250A Main Switch			
24 pole	800 x 590 x 225	DB24PM2D0800H	DB24PM2D0800O
36 pole	1000 x 590 x 225	DB36PM2D1000H	DB36PM2D1000O
48 pole	1200 x 590 x 225	DB48PM2D1200H	DB48PM2D1200O
60 pole	1200 x 590 x 225	DB60PM2D1200H	DB60PM2D1200O
72 pole	1400 x 590 x 225	DB72PM2D1400H	DB72PM2D1400O
84 pole	1400 x 590 x 225	DB84PM2D1400H	DB84PM2D1400O

DBX³ Distribution Boards



Poles	Dimensions (mm) height x width x depth	Cat No. Grey	Cat No. Orange
Without 250A Main Switch			
24 pole	400 x 590 x 225	DB24P-0400H	DB24P-0400HO
36 pole	600 x 590 x 225	DB36P-0600H	DB36P-0600HO
48 pole	800 x 590 x 225	DB48P-0800H	DB48P-0800HO
60 pole	800 x 590 x 225	DB60P-0800H	DB60P-0800HO
72 pole	1000 x 590 x 225	DB72P-1000H	DB72P-1000HO
84 pole	1000 x 590 x 225	DB84P-1000H	DB84P-1000HO

Equipment Box (2 knock-outs)		
Dimensions (mm) height x width x depth	Cat No. Grey	Cat No. Orange
400 x 590 x 225	DBEQUIP-2D400H	DBEQUIP-2D400HO

HPM Legrand - AUS
1300 369 777
www.legrand.com.au
ABN 31 000 102 661

HPM Legrand - NZ
0800 476 009
www.legrand.co.nz

Refer to your group buying office, HPM Legrand Sales Representative or HPM Legrand Sales Office for pricing.