

ANTIMICROBIAL MEDICAL RANGE



EXCEL LIFE™ SOLUTIONS FOR HEALTHCARE FACILITIES

WITH MEDICAL SERVICE PANEL GUIDE

EXCEL LIFE ADVANCED MEDICAL RANGE

The Excel Life Medical range features antimicrobial technology to help reduce the spread of bacteria in hospitals and other healthcare environments, leading to enhanced patient care. From colour-coded powerpoints to power indicators and heavy-duty panels, Excel Life Medical gives you the power to fit off every detail required for hospitals, laboratories, surgeries, clinics, and more.

STANDARD



CUSTOM



THE LEGRAND EXCEL LIFE MEDICAL RANGE OFFERS A LARGE SELECTION OF WALL PLATES DEDICATED TO HEALTH SECTOR APPLICATIONS.

Find these on p. 4 to 12

Electresafe RCD Powerpoint 10mA.



EC777EL10CAWE



EC914WE

No Touch Switch
A simple wave will activate or deactivate

Colour-coded

Options for easy identification, uninterruptible supply, essential supply, cleaners purposes only



EC777NCABU



EC777NCARD



EC787CABE



THE ANTIMICROBIAL ADVANTAGE

The antimicrobial advantage in the Excel Life Medical range stems from the material construction based on silver ions - widely recognised as having antimicrobial properties that contribute to reducing undesired microorganisms.

The Excel Life Medical range was tested by an independent TGA-accredited laboratory to JIS Z 2801:2010 and was proven to be an effective antibacterial agent.

The results demonstrated a kill rate against Escherichia coli and Staphylococcus aureus between 99.72% and 99.9999%. Look for products with the antimicrobial symbol.

EVERY JOB HAS SPECIFIC NEEDS - THAT'S WHY LEGRAND ALLOWS YOU TO CREATE CUSTOM MEDICAL SERVICE PANELS TAILORED TO YOUR REQUIREMENTS.

To create your perfect-fit solution, refer to our **Medical Service Panel guide on p. 13 to 27** and use resources from our CAD library (available on E-Cat or on request)



Custom-made Service Panel
7 gang horizontal plate with vertical functions



Custom-made Service Panel
5 gang vertical plate with horizontal functions

Excel Life™ Switches



Excel Life™ Grids & plates and switch mechanisms



Pack	Cat No.	Common plate switch 16AX 230-240V a.c.
10	EC770/1CAWE	Standard rocker switch mechanisms, 16AX fluoro rated, chemical resistant and antimicrobial Vertical plates 1 gang switch 16AX ○ White
10	EC770/2CAWE	2 gang switch 16AX ○ White
10	EC770/3CAWE	3 gang switch 16AX ○ White
10	EC770/4CAWE	4 gang switch 16AX ○ White
10	EC770/1HCAWE	Horizontal plates 1 gang switch 16AX ○ White
10	EC770/2HCAWE	2 gang switch 16AX ○ White
10	EC770/3HCAWE	3 gang switch 16AX ○ White
10	EC770/4HCAWE	4 gang switch 16AX ○ White
6	EC914WE	No Touch Switch No Touch switch, 4A 1 gang ○ White




Pack	Cat No.	Common plate grid and plates
10	EC770/0GPLCAWE	Chemical resistant and antimicrobial Blank grid and coverplate only ○ White
10	EC770/1GPLCAWE	1 gang grid and coverplate only ○ White
10	EC770/2GPLCAWE	2 gang grid and coverplate only ○ White
10	EC770/3GPLCAWE	3 gang grid and coverplate only ○ White
10	EC770/4GPLCAWE	4 gang grid and coverplate only ○ White
10	EC770/5GPLCAWE	5 gang grid and coverplate only ○ White
10	EC770/6GPLCAWE	6 gang grid and coverplate only ○ White
10	EM770CAWE	Switch mechanisms 16AX 230-240V a.c. Single pole double throw chemical resistant and antimicrobial ○ White
10	EM770CARED	● Red

In medical applications socket-outlets colour coding requirements are as follows:

- Normal Supply – White (WE)
- Essential Supply – Red (RED)
- Uninterruptible Supply (UPS) – Dark blue (BU)
- Cleaners Sockets – Beige (BE)

Catalogue Number Decoder

EC777NIDCAWE



Excel Life™ Powerpoints



Excel Life™ Vertical powerpoints and USB chargers



Pack	Cat No.	Common plate powerpoints 10A 230-240V a.c.
10	EC777NCAWE	Internal safety shutters, chemical resistant and antimicrobial with power available LED engraved 'RCD Protected' Double powerpoint ○ White
10	EC777NCABU	● Blue
10	EC777NCARD	● Red
10	EC777NIDCAWE	Double powerpoint with circuit ID ○ White
10	EC777NIDCABU	● Blue
10	EC777NIDCARD	● Red
10	EC787NCAWE	Single powerpoint ○ White
10	EC787NCABU	● Blue
10	EC787NCARD	● Red
10	EC787NIDCAWE	Single powerpoint with circuit ID ○ White
10	EC787NIDCABU	● Blue
10	EC787NIDCARD	● Red



Pack	Cat No.	Common plate vertical powerpoints 10A 230-240V a.c.
10	ECV777NCAWE	Internal safety shutters, chemical resistant and antimicrobial with power available LED engraved 'RCD Protected' Double vertical powerpoint ○ White
10	ECV777NCABU	● Blue
10	ECV777NCARD	● Red
10	ECV787CAWE	Single vertical powerpoint ○ White
10	ECV787NCAWE	○ White - with neon indicator
10	ECV787CABU	● Blue
10	ECV787NCABU	● Blue - with neon indicator
10	ECV787CARD	● Red
10	ECV787NCARD	● Red - with neon indicator
10	ECV787NIDCAWE	Single vertical powerpoint with circuit ID ○ White
10	ECV787NIDCABU	● Blue
10	ECV787NIDCARD	● Red
12	EMUSB2PSAWE	USB chargers 230-240V a.c. All USB chargers are white Dual USB charger mechanism 2x2.4A Type A
12	EMUSB2ACWE	Dual USB charger mechanism 4.8A Type A and C
1	EMUSB1CWE	USB charger mechanism, Type C, 60W (single port)

Excel Life™ 15A Powerpoints



Excel Life™ 'Cleaners' powerpoints



Pack	Cat No.	Common plate single powerpoints 15A 230-240V a.c.
10	EC787/15NCAWE	Internal safety shutters, chemical resistant and antimicrobial with power available LED engraved 'RCD Protected'
		Single powerpoint
		○ White
10	EC787/15NCABU	● Blue
10	EC787/15NCARD	● Red
		Single vertical powerpoint
10	ECV787/15NCAWE	○ White
10	ECV787/15NCABU	● Blue
10	ECV787/15NCARD	● Red



Pack	Cat No.	Common plate 'cleaners' powerpoints 10A 230-240V a.c.
10	EC777CABE	Internal safety shutters, chemical resistant and antimicrobial, engraved 'CLEANING PURPOSES ONLY'
		Double powerpoint
		● Beige
		Double powerpoint with circuit ID
10	EC777IDCABE	● Beige
		Single powerpoint 10A
10	EC787CABE	● Beige
		Single powerpoint 15A
10	EC787/15CABE	● Beige
		Single powerpoint with circuit ID
10	EC787IDCABE	● Beige
		10mA double electresafe RCD powerpoint
10	EC777EL10CABE	● Beige
		10mA double electresafe RCD powerpoint with circuit ID
10	EC777EL10IDCABE	● Beige

In medical applications socket-outlets colour coding requirements are as follows:

- Normal Supply – White (WE)
- Essential Supply – Red (RED)
- Uninterruptible Supply (UPS) – Dark blue (BU)
- Cleaners Sockets – Beige (BE)

Excel Life™ Electresafe RCD powerpoints



Excel Life™ Powerpoints




Pack	Cat No.	Common plate electresafe RCD powerpoints 10A 230-240V a.c.
		Internal safety shutters, chemical resistant and antimicrobial with power available LED and power supplied LED
		10mA double electresafe RCD powerpoint
2	EC777EL10CAWE	○ White
2	EC777EL10CABU	● Blue
2	EC777EL10CARD	● Red
		10mA double electresafe RCD powerpoint with circuit ID
2	EC777EL10IDCAWE	○ White
2	EC777EL10IDCABU	● Blue
2	EC777EL10IDCARD	● Red
		30mA double electresafe RCD powerpoint
2	EC777EL30CAWE	○ White

In medical applications socket-outlets colour coding requirements are as follows:

- Normal Supply – White (WE)
- Essential Supply – Red (RED)
- Uninterruptible Supply (UPS) – Dark blue (BU)
- Cleaners Sockets – Beige (BE)



Pack	Cat No.	Common plate powerpoints 10A 230-240V a.c.
		Internal safety shutters, chemical resistant and antimicrobial, engraved 'RCD Protected'
		Horizontal powerpoints
10	EC777CAWE	○ White
10	EC777CABU	● Blue
10	EC777CARD	● Red
10	EC777XCABE	○ White
10	EC777XCABU	● Blue
10	EC777XCARD	● Red
10	EC787CAWE	○ White
10	EC787XCABE	○ White
		Vertical powerpoints
10	ECV777CAWE	○ White
10	ECV777XCABE	○ White
10	ECV787CAWE	○ White
10	ECV787XCABE	○ White



Pack	Cat No.	Description
		Common plate electresafe RCD vertical plate 20A 230-240V a.c. Chemical resistant and antimicrobial with power available LED and power supplied LED
2	ECEL10N2CAWE	10mA electresafe RCD plate ○ White ● Blue ● Red
2	ECEL10N2CABU	
2	ECEL10N2CARD	
2	ECEL10N2IDCAWE	10mA electresafe RCD plate with circuit ID ○ White ● Blue ● Red
2	ECEL10N2IDCABU	
2	ECEL10N2IDCARD	
2	ECEL10HN2IDCAWE	Common plate electresafe RCD horizontal plate 20A 230-240V a.c. Chemical resistant and antimicrobial with power available LED
2	ECEL10HN2IDCABU	
2	ECEL10HN2IDCARD	
2	ECVAVALWE	Audio/Visual alarm for RCD Configurable RCD alarm with visual indicators and audible sound (mute button available)
2	ECVAVALBU	
2	ECVAVALRD	
2	ECUPSALCABU	Audio/Visual alarm for UPS Configurable UPS alarm and monitor 12V d.c. ● Blue
2	ECCPASIGN	Area classification signs Cardiac protected area sign
2	ECBPASIGN	Body protected area sign




Pack	Cat No.	Description
1	EC510WE	Skirting lights 230-240V a.c. Skirting lights Suitable for passage areas or installation with obstacles Permanent skirting LED light, 0.2 or 1W max ○ White
1	EC511WE	Skirting light with motion detector The LED lights are activated when the PIR sensor detects movement. Skirting LED light with PIR sensor 1.3W max ○ White
10	EA910PMAWE	Panel mount adaptors and inserts Panel mount adaptors suitable for panel thickness of 0.7mm to 3mm 1 Module accepts 1 x 25x57mm inserts 2 Module accepts 50x57mm or 2 x 25x57mm inserts
10	EA920PMAWE	
10	EA910/0WE	Panel mount adaptors Panel mount adaptors - 1 module ○ White
10	EA910/1WE	Panel mount adaptors - 2 module ○ White
10	EA910/2WE	Inserts Blank insert - 1 module ○ White
10	EA910/0WE	1 gang insert - 1 module ○ White
10	EA910/2WE	2 gang insert - 1 module ○ White
10	EMPAPS2WE	Illumination kits 230-240V a.c. Power available (Amber) and 2 power supplied (Red) indicators kit ○ White
10	EMPAWE	Power available indicator kit (Amber) ○ White
10	EMPS1WE	Power supplied to 1 outlet indicator kit (Red) ○ White
10	EMPS2WE	Power supplied to 2 outlets indicators kit (Red) ○ White

Red catalogue number: new product



Pack	Cat No.	Description
10	ECCWPLCAWE	Common plate coverplates Coverplates chemical resistant and antimicrobial
10	ECCW2HPLWE	
10	ECCW3HPLWE	
10	ECCW3HPLBU	
10	ECCW3HPLRD	
10	ECCW4HPLWE	
10	ECCW2WPLWE	
10	ECCW3WPLWE	
10	EMCCWE	
10	EM910RPWE	
10	EMCLIDWE	Accessories Cord retention clamp Blank insert with clear cap Used for circuit ID Blank module Plug and cable retainer to be used in conjunction with EC910GPLWE or ECFRAME
10	EMIDWE	
10	EM910RPWE	
10	EACIDLABELWE	Circuit Identification labels 10 sheets (96 labels per sheet) ○ White ● Blue ● Red ● Yellow
10	EACIDLABELBU	
10	EACIDLABELRED	
10	EACIDLABELYE	
10	ECCW2HBRKT	Plasterboard metal brackets for ECCW series plastic coverplates For ECCW2HPLWE plates For ECCW3HPLWE plates For ECCW4HPLWE plates
10	ECCW3HBRKT	
10	ECCW4HBRKT	
10	ECCW4HBRKT	



Pack	Cat No.	Description
50	712	Plaster brackets – 84mm Fixing Centre Plaster 10m board bracket
20	954	Render brackets 1 Gang render-bracket
10	EA503/2W	2 gang horizontal render-bracket
10	EA503/3W	3 gang horizontal render-bracket
10	EA503/2H	2 gang vertical render-bracket
10	EA503/3H	3 gang vertical render-bracket
10	EA503/4H	4 gang vertical render-bracket
20	143	Stud brackets Stud bracket
20	143/2	Stud bracket horizontal w/nails
20	143/2V	Stud bracket vertical w/nails
10	143U	Stud bracket vertical or horizontal w/nails
10	EA143/2W	2 gang horizontal stud-bracket
10	EA143/3W	3 gang horizontal stud-bracket
10	EA143/2H	2 gang vertical stud-bracket
10	EA143/3H	3 gang vertical stud-bracket
10	EA143/4H	4 gang vertical stud-bracket

Excel Life™ Wall Boxes

Excel Life™ Equipotential devices and gas plates

Excel Life™ Stainless steel coverplates



EA751



EAEPNODE



EAEPJUNCTION



EA3470PLSS



EA3470CPLSS

Pack	Cat No.	Standard recessed wall boxes
		Modular system with adjustable height insert. Provided with earth wires. Boxes can be joined horizontally or vertically. To be equipped with coverplates. (See dimensions on page 63.)
		Steel wall boxes
1	EABOX170	1 Gang recessed 1 module box
1	EABOX270	2 Gang recessed 2 module box 70mm spacing
1	EABOX370	3 Gang recessed 3 module box 70mm spacing
1	EABOX470	4 Gang recessed 4 module box 70mm spacing
1	EABOX570	5 Gang recessed 5 module box 70mm spacing
1	EABOX2100	2 Gang recessed 3 module box 100mm spacing (gas only)
1	EABOX3100	3 Gang recessed 4 module box 100mm spacing (gas only)
		Standard wall box
10	429R	Recessed plastic wall box with sliding nuts, retention clips and protective cover size 97 x 60 x 45mm
10	EA751	Protective shroud for panel mount

Pack	Cat No.	Equipotential devices
		Earth stud plates
1	ECEES/1GCAWE	1 Gang equipotential earth stud ○ White
1	ECEES/2GCAWE	2 Gang equipotential earth stud ○ White
		Equipotential boxes
1	EAEPNODE	Equipotential node kit supplied with stainless steel face plate and earth stud
1	EAEPJUNCTION	Equipotential junction kit supplied with stainless steel face plate
		Gas plates
		Chemical resistant and antimicrobial
1	ECGAS1GPLCAWE	Gas outlet plate ○ White
1	ECGAS2GPLCAWE	Gas outlet plate with scavenge ○ White

Pack	Cat No.	Medical Service Panels coverplates
		Stainless steel coverplates to suit recessed wall boxes. Dimensions on page 53
		Stainless steel coverplates
1	EA170PLSS	Stainless steel 1 gang coverplate 140mm x 190mm
1	EA270PLSS	Stainless steel 2 gang coverplate 70mm spacing 190mm x 190mm
1	EA370PLSS	Stainless steel 3 gang coverplate 70mm spacing 265mm x 190mm
1	EA470PLSS	Stainless steel 4 gang coverplate 70mm spacing 340mm x 190mm
1	EA570PLSS	Stainless steel 5 gang coverplate 415mm x 190mm
1	EA2270PLSS	Stainless steel 2+2 gang coverplate 70mm spacing 340mm x 190mm
1	EA2370PLSS	Stainless steel 2+3 gang coverplate 70mm spacing 415mm x 190mm
1	EA3370PLSS	Stainless steel 3+3 gang coverplate 70mm spacing 490mm x 190mm
1	EA3470PLSS	Stainless steel 3+4 gang coverplate 70mm spacing 565mm x 190mm

Pack	Cat No.	Medical Service Panels coverplates
		Stainless steel coverplates to suit recessed wall boxes. Dimensions on page 53
		Stainless steel coverplates with curved edges
1	EA170CPLSS	Stainless steel 1 gang coverplate curved edges 140mm x 190mm
1	EA270CPLSS	Stainless steel 2 gang coverplate curved edges 70mm spacing 188mm x 188mm
1	EA370CPLSS	Stainless steel 3 gang coverplate curved edges 70mm spacing 263mm x 188mm
1	EA470CPLSS	Stainless steel 4 gang coverplate curved edges 70mm spacing 338mm x 188mm
1	EA570CPLSS	Stainless steel 5 gang coverplate 415mm x 190mm
1	EA2270CPLSS	Stainless steel 2+2 gang coverplate curved edges 70mm spacing 340mm x 190mm
1	EA2370CPLSS	Stainless steel 2+3 gang coverplate curved edges 70mm spacing 415mm x 190mm
1	EA3370CPLSS	Stainless steel 3+3 gang coverplate curved edges 70mm spacing 490mm x 190mm
1	EA3470CPLSS	Stainless steel 3+4 gang coverplate curved edges 70mm spacing 565mm x 190mm
		Stainless steel gas coverplates
1	EA2100PLSS	Stainless steel 2 gang gas coverplate 100mm spacing 265mm x 190mm
1	EA3100PLSS	Stainless steel 3 gang gas coverplate 100mm spacing 340mm x 190mm


Red catalogue number: new product

Red catalogue number: new product

CUSTOM

HOW TO CREATE YOUR EXCEL LIFE MEDICAL SERVICE PANELS


THE EXCEL LIFE MEDICAL RANGE OFFERS MANY CONFIGURATIONS AND OPTIONS FOR MEDICAL SERVICE PANELS (MSPs) MADE OF STAINLESS STEEL. TO CREATE YOUR CUSTOM MSPs, FOLLOW THESE SIMPLE STEPS BELOW AND USE OUR CAD LIBRARY AVAILABLE ON OUR E-CAT OR ON REQUEST



NOTE:
 * Pitch of 200mm between the functions.
 **Also used for Hills and Austco Nurse call systems.

EXAMPLE OF FLOW MAP USE

EXAMPLE OF HOW THE FLOW MAP IS USED TO ORDER A 7 GANG HORIZONTAL PANEL WITH VERTICAL FUNCTIONS




MEDICAL PANEL EXAMPLES


Back Boxes: Power

Power back boxes can also accommodate Hills and Austco Nurse call devices

EXAMPLES OF STUD MOUNTED AND JOINERY MOUNTED VERTICAL FACE PLATES



STUD MOUNTED



JOINERY MOUNTED

EXAMPLES OF A 6 AND 8 GANG MEDICAL PANEL POWER BOX WITH VARIOUS FUNCTIONS AND A NURSE CALL ALLOCATION




6 GANG MEDICAL PANEL (WITHOUT COVERPLATE)



8 GANG MEDICAL PANEL (WITHOUT COVERPLATE)







EXAMPLE OF AN EMPTY 3 GANG GAS BOX



LIBRARY IMAGE	CATALOGUE NUMBER	ITEM DESCRIPTION
	EABOX170	1 GANG BOX FOR POWER 1x70
	EABOX270	2 GANG BOX FOR POWER 2x70
	EABOX370	3 GANG BOX FOR POWER 3x70
	EABOX470	4 GANG BOX FOR POWER 4x70
	EABOX570	5 GANG BOX FOR POWER 5x70
	SPECIAL ORDER (EABOX670)	Available on request: (4G + 2G) 6 GANG BOX FOR POWER 6x70
	SPECIAL ORDER (EABOX770)	Available on request: (4G + 3G) 7 GANG BOX FOR POWER 7x70
	SPECIAL ORDER (EABOX870)	Available on request: (5G + 3G) 8 GANG BOX FOR POWER 8x70







Back Boxes: Gas

All gas boxes are custom and are available on request.

LIBRARY IMAGE	CATALOGUE NUMBER	ITEM DESCRIPTION
	SPECIAL ORDER (EABOX1100J2)	1G GAS CIRCULAR OUTLET BOX 1x100
	SPECIAL ORDER (EABOX2100J2)	2G GAS CIRCULAR OUTLET BOX 1x100
	SPECIAL ORDER (EABOX3100J2)	3G GAS CIRCULAR OUTLET BOX 1x100
	SPECIAL ORDER (EABOX4100J2)	4G GAS CIRCULAR OUTLET BOX 1x100
	SPECIAL ORDER (EABOX5100J2)	5G GAS CIRCULAR OUTLET BOX 1x100
	SPECIAL ORDER (EABOX6100J2)	6G GAS CIRCULAR OUTLET BOX 1x100

Functions: RCDs

Use the (number) in column “Colour option” on your drawing to select the desired function & colour from the CAD library. **E.g.:** To order a White Double GPO with RCD and Power Available, indicate number 17 on your CAD drawing.

IMAGE	DESCRIPTION	COLOUR OPTION
	RCD VERTICAL ECEL 10N2CA RCD 10MA VER PLATE CA	WHITE (1) RED (2) BLUE (3) BEIGE (4)
	RCD VERTICAL WITH ID ECEL 10N2IDCA EC EL 10MA VER PLATE CA CID	WHITE (5) RED (6) BLUE (7) BEIGE (8)
	RCD HORIZONTAL ECEL 10HN2CA EC EL 10MA HOR PLATE CA CID	WHITE (9) RED (10) BLUE (11) BEIGE (12)
	RCD HORIZONTAL WITH ID ECEL 10HN2IDCA EC EL 10MA HOR PLATE CA CID	WHITE (13) RED (14) BLUE (15) BEIGE (16)
	DOUBLE GPO WITH RCD AND POWER AVAILABLE EC777EL10CA EC 10A DBL EL PPT PA 10MA CA	WHITE (17) RED (18) BLUE (19) BEIGE (20)
	DOUBLE GPO WITH RCD AND POWER AVAILABLE AND ID EC777EL10IDCA EC 10A DBL EL PPT PA 10MA CA	WHITE (21) RED (22) BLUE (23) BEIGE (24)

Colours available: ○ WE (white) ● RD (red) ● BU (blue) ● BE (beige)

Functions: Double GPOs

Use the [number] in column “Colour option” on your drawing to select the desired function & colour from the CAD library. **E.g.:** To order a Red Double GPO with Power available and ID, indicate number 10 on your CAD drawing.

IMAGE	DESCRIPTION	COLOUR OPTION
	DOUBLE GPO EC777CA EC 10A DOUBLE POWERPOINT CA WE	WHITE (1) RED (2) BLUE (3) BEIGE (4)
	DOUBLE GPO WITH POWER AVAILABLE EC777NCA EC 10A DOUBLE POWERPOINT CA WE	WHITE (5) RED (6) BLUE (7) BEIGE (8)
	DOUBLE GPO WITH POWER AVAILABLE AND ID EC777NIDCA EC 10A DOUBLE POWERPOINT CA CID	WHITE (9) RED (10) BLUE (11) BEIGE (12)
	DOUBLE GPO VERTICAL ECV777CA EC 10A DOUBLE VERTICAL POWERPOINT CA	WHITE (13) RED (14) BLUE (15) BEIGE (16)
	DOUBLE GPO VERTICAL WITH POWER AVAILABLE ECV777NCA EC 10A DOUBLE VERTICAL POWERPOINT CA	WHITE (17) RED (18) BLUE (19) BEIGE (20)
	DOUBLE GPO VERTICAL WITH POWER AVAILABLE AND ID ECV777NIDCA EC 10A DOUBLE VERTICAL POWERPOINT CA	WHITE (21) RED (22) BLUE (23) BEIGE (24)

Colours available: ○ WE (white) ● RD (red) ● BU (blue) ● BE (beige)

Functions: Single GPOs

Use the [number] in column “Colour option” on your drawing to select the desired function & colour from the CAD library. **E.g.:** To order a Blue Single GPO horizontal , indicate number 39 on your CAD drawing.

IMAGE	DESCRIPTION	COLOUR OPTION
	SINGLE GPO HORIZONTAL EC787CA EC 10 SGL PPT CA	WHITE (37) RED (38) BLUE (39) BEIGE (40)
	SINGLE GPO HORIZONTAL WITH POWER AVAILABLE EC787NCA EC 10A SGL PPT CA	WHITE (41) RED (42) BLUE (43) BEIGE (44)
	SINGLE GPO WITH HORIZONTAL WITH POWER AVAILABLE AND ID EC787NIDCA EC 10A SGL PPT PA CA CID	WHITE (45) RED (46) BLUE (47) BEIGE (48)
	SINGLE GPO VERTICAL EC787CA EC 10A SGL VERT PPT CA	WHITE (49) RED (50) BLUE (51) BEIGE (52)
	SINGLE GPO VERTICAL WITH POWER AVAILABLE ECV787NCA EC 10A SGL VERT PPT PA CA	WHITE (53) RED (54) BLUE (55) BEIGE (56)
	SINGLE GPO VERTICAL WITH POWER AVAILABLE AND ID ECV787NIDCA EC 10A SGL VERT PPT PA CA CID	WHITE (57) RED (58) BLUE (59) BEIGE (60)

Colours available: ○ WE (white) ● RD (red) ● BU (blue) ● BE (beige)

Functions: Grid and Plates Only

Use the [number] in column “Colour option” on your drawing to select the desired function & colour from the CAD library. E.g.: To order a 6 gang grid and plate, indicate number 135 on your CAD drawing.

IMAGE	DESCRIPTION	COLOUR OPTION
	BLANK GRID AND PLATE EC770/0GPLCAWE EC 0 GANG GPL CA WE	WHITE (129)
	1 GANG GRID AND PLATE EC770/1GPLCAWE EC 1 GANG GPL CA WE	WHITE (130)
	2 GANG GRID AND PLATE EC770/2GPLCAWE EC 2 GANG GPL CA WE	WHITE (131)
	3 GANG GRID AND PLATE EC770/3GPLCAWE EC 3 GANG GPL CA WE	WHITE (132)
	4 GANG GRID AND PLATE EC770/4GPLCAWE EC 4 GANG GPL CA WE	WHITE (133)
	5 GANG GRID AND PLATE EC770/5GPLCAWE EC 5 GANG GPL CA WE	WHITE (134)
	6 GANG GRID AND PLATE EC770/6GPLCAWE EC 6 GANG GPL CA WE	WHITE (135)

Functions: Switches Vertical







Use the [number] in column “Colour option” on your drawing to select the desired function & colour from the CAD library. E.g.: To order a 4 gang switch white, indicate number 99 on your CAD drawing.

IMAGE	DESCRIPTION	COLOUR OPTION
	1 GANG 16A SWITCH EC770/1CA EC 16A 1 GANG CA	WHITE (93) RED (94)
	2 GANG 16A SWITCH EC770/2CA EC 16A 2 GANG CA	WHITE (95) RED (96)
	3 GANG 16A SWITCH EC770/3CA EC 16A 3 GANG CA	WHITE (97) RED (98)
	4 GANG 16A SWITCH EC770/4CA EC 16A 4 GANG CA	WHITE (99) RED (100)
	5 GANG 16A SWITCH EC770/5CA EC 16A 5 GANG CA	WHITE (101) RED (102)
	6 GANG 16A SWITCH EC770/6CA EC 16A 6 GANG CA	WHITE (103) RED (104)
	1 GANG 16A SWITCH WITH ID EC770/1ID EC 16A 1 GANG WITH ID CA	WHITE (105) RED (106)
	2 GANG 16A SWITCH WITH ID EC770/2ID EC 16A 2 GANG WITH ID CA	WHITE (107) RED (108)

Colours available: ○ WE (white) ● RD (red) ● BU (blue) ● BE (beige)

Functions: Switches Horizontal

Use the [number] in column “Colour option” on your drawing to select the desired function & colour from the CAD library. **E.g.:** To order a 3 gang switch Horizontal white, indicate number 138 on your CAD drawing

IMAGE	DESCRIPTION	COLOUR OPTION
	1 GANG 16A SWITCH EC770H/1CAWE EC 16A 1 GANG CA WE	WHITE (136)
	2 GANG 16A SWITCH EC770H/2CAWE EC 16A 2 GANG CA WE	WHITE (137)
	3 GANG 16A SWITCH EC770H/3CAWE EC 16A 3 GANG CA WE	WHITE (138)
	4 GANG 16A SWITCH EC770H/4CAWE EC 16A 4 GANG CA WE	WHITE (139)
	5 GANG 16A SWITCH EC770H/5CAWE EC 16A 5 GANG CA WE	WHITE (140)
	6 GANG 16A SWITCH EC770H/6CAWE EC 16A 6 GANG CA WE	WHITE (141)

Functions: Data Outlets









Use the [number] in column “Colour option” on your drawing to select the desired function & colour from the CAD library. **E.g.:** To order a Double Data outlet white, indicate number 113 on your CAD drawing

IMAGE	DESCRIPTION	COLOUR OPTION
	EC770/1RJ45IDCA WHITE SINGLE DATA WITH ID	WHITE (109)
	EC770/2RJ45IDCA WHITE DOUBLE DATA WITH ID	WHITE (110)
	EC770/3RJ45IDCA WHITE TRIPLE DATA WITH ID	WHITE (111)
	EC770/1RJ45CA WHITE SINGLE DATA	WHITE (112)
	EC770/2RJ45CA WHITE DOUBLE DATA	WHITE (113)
	EC770/3RJ45CA WHITE TRIPLE DATA	WHITE (114)
	EC770/4RJ45CA WHITE QUAD DATA	WHITE (115)
	USB CHARGER OUTLET A+C 3A	WHITE (149)
	USB CHARGER OUTLET C+C 3A	WHITE (150)



Data colour options available. Please specify the colour needed on the shop drawings.
Partition of power and data can't be done in the place of intersection of 2 boxes for a 6G, 7G and 8G.

Functions: Nurse Calls




Nurse calls are not provided by Legrand. Only provisions are made.

IMAGE	DESCRIPTION
	RAULAND NURSE CALL
	RAULAND NURSE CALL CRADLE WALL MOUNTED
	NURSE CALL OUTLET
	STAFF ASSIST OUTLET
	EMERGENCY CALL OUTLET
	NURSE CALL CRADLE
	RAULAND PATIENT STATION
	RAULAND NURSE CALL AUDIO

Functions: RCD and UPS Alarms

IMAGE	DESCRIPTION	COLOUR OPTION
	RCD AUDIO / VISUAL ALARM ECVAVALWE EC UPS ALARM CA WE	WHITE, RED, BLUE
	UPS AUDIO VISUAL ALARM ECUPSALCABU EC UPS ALARM 240VAC BLUE	BLUE ONLY

Functions: Nodes


IMAGE	DESCRIPTION	COLOUR OPTION
	EP NODE X 1 OUTLET EARTH STUD	EP NODE=WHITE RECESSED BOX WITH EP NODE W/EARTH STUD= WHITE
	RECESSED BOX WITH EP NODE WITH EARTH STUD NEED DEDICATED WALL PLATE ASIDE MSP	EP NODE=WHITE RECESSED BOX WITH EP NODE W/EARTH STUD= WHITE
	RECESSED BOX WITH EP NODE WITH EARTH STUD	EP NODE=WHITE RECESSED BOX WITH EP NODE W/EARTH STUD= WHITE

NOTE:


The range of products and functions are mentioned in this catalogue, and Legrand are not responsible for the fit for purpose. This document can be used as a guide only, any exemption needs to be discussed with Legrand.

Excel Life™ Wall boxes and coverplates

Standard Wall Box Dimensions



Standard Stainless Steel Coverplate Dimensions



Disclaimer: The information provided in this document is intended for informational purposes only has been prepared and reviewed with all reasonable care, believed to be correct at the time of printing. Legrand Australia and New Zealand may also make improvements and/or changes in the products, pricing and/or programs described in this information at any time without notice.



Legrand Australia
Building 4, Nexus Industry Park
43-47 Lyn Pde Prestons NSW 2170
1300 369 777
www.legrand.com.au

Legrand New Zealand
106-124 Target Road Glenfield
Auckland 0627 New Zealand
0800 476 009
www.legrand.co.nz