



### LEGRAND'S ENVIRONMENTAL COMMITMENTS

• **Incorporate environmental management into our industrial sites**

Of all Legrand sites worldwide, over 80% are ISO 14001-certified (sites belonging to the Group for more than five years).

• **Involve the environment in product design**


Provide our customers with all relevant information (composition, consumption, end of life, etc.).  
Reduce the environmental impact of products over their whole life cycle.

• **Offer our customers environmentally friendly solutions**

Develop innovative solutions to help our customers design more energy efficient, better managed and more environmentally friendly installations.



### REFERENCE PRODUCT

<p><b>Function</b></p>	<p>Passive product which affords the connection to a circuit low voltage 240V, at a rated current not exceeding 10A, according to the standards AS/NZS 3000 and 3112, for household or similar purposes, with a non-continuous operation for 20 years. Product available with spare function hole which allows to create the needed solution onsite by adding the mechanism required.</p>
<p><b>Reference products</b></p>	<div style="text-align: center;">  </div> <p>Cat. No. EC787XWE 1 gang powerpoint with spare module white</p>

The company reserves the right to change specifications and designs without notice. All illustrations, descriptions, dimensions and weights in the document are for guidance and cannot be help binding on the Company.



### PRODUCTS CONCERNED

The environmental data for the reference product represent the following Catalogue Numbers:

Catalogue Numbers
<ul style="list-style-type: none"> <li>• EC787/2XWE</li> <li>• EC787WE</li> <li>• ED787/2XWE</li> <li>• ED787WE</li> <li>• ED787XWE</li> <li>• EM787WE</li> <li>• ES787WE</li> </ul>

# Product Environmental Profile

**Excel Life**  
**1 gang Powerpoint with spare module White**



## ■ CONSTITUENT MATERIALS

This product contains no substances prohibited by the regulations applicable at the time of its introduction to the market. At the date of publication of this document, this product contains no substances to which the RoHS directives apply (2002/95/EC) and no substances appearing on the list of candidates for authorisation of the European REACH regulation.

<b>Total weight of reference products:</b>		<b>99 g (unit packaging included)</b>			
Plastics as % of weight		Metals as % of weight		Other as % of weight	
Polycarbonate (PC)	<b>49.10%</b>	Steel	<b>13.70%</b>	Titanium dioxide (TiO2)	<b>1.10%</b>
Polypropylene (PP)	<b>13.70%</b>	Copper (Cu)	<b>6.50%</b>	Glass fibre	<b>0.25%</b>
Polypropylene terephthalate (PBT)	<b>0.80%</b>	Zinc (Zn)	<b>2.00%</b>	Tetrabromobisphenol A	<b>0.30%</b>
		Tin (Sn)	<b>0.30%</b>	Antimony trioxide (Sb2O3)	<b>0.20%</b>
				Others	<b>&lt; 0.10%</b>
				Packaging as % of weight	
				Cardboard and paper	<b>10.15%</b>
				Polyethylene (LDPE)	<b>1.76%</b>
				Ink (unspecified)	<b>0.14%</b>
Plastics (miscellaneous)	<b>&lt; 0.10%</b>	Metals (miscellaneous)	<b>&lt; 0.10%</b>		
<b>Total plastics</b>	<b>63.60%</b>	<b>Total metals</b>	<b>22.50%</b>	<b>Total other and packaging</b>	<b>13.90%</b>

Estimated recycled material content: 16% by weight



## ■ MANUFACTURE

These products come from sites that have initiated an ISO 14001 environmental certification.



## ■ DISTRIBUTION

The Group's products are distributed from logistics centres located with a view to optimum transport efficiency. The reference product is therefore transported over an average distance of 1111 km, essentially by road, representing a market in Australia.

Packaging is compliant with applicable regulations. At the end of product life, the theoretical recycling potential is 99% and their energy recovery potential is 100% (as % of packaging weight).



## ■ INSTALLATION

No additional components are required to install the products.



## ■ USE

### Service and maintenance

Under normal conditions of use, this type of product requires no servicing or maintenance.

### Consumable

No consumables are necessary to use the products.

# Product Environmental Profile

**Excel Life**  
**1 gang Powerpoint with spare module White**



## END OF LIFE

**• Hazardous waste contained in the product:**

This product contains no hazardous waste.

**• Non-hazardous waste contained in the product: 87 g**

**• Theoretical recycling potential:**

The theoretical recycling potential of a product is the percentage of material that can be recycled using existing techniques. It takes no account of the existence or lack of recycling services, which are highly dependent on the local situation.

This product contains 98% by weight of potentially recyclable material (excluding packaging):

- Plastic materials : 72%
- Metal materials : 26%

**• Energy recovery potential:**

Energy recovery consists in using the calories contained in waste by burning it and recovering the energy produced, for example, to heat buildings or to produce electricity. The process uses the convertible energy contained in the waste. 73% of the product mass can be recycled with energy recovery.



## ENVIRONMENTAL IMPACTS

The evaluation of environmental impacts examines the stages of the reference product life cycle: manufacturing, distribution, installation, use, and end of life of the product marketed and used in Australia. The following modelling elements were taken into account:

<b>Manufacture</b>	Unit packaging taken into account.
<b>Distribution</b>	Transport between the last Group distribution centre and an average delivery to the sales area.
<b>Installation</b>	No additional components are required to install the products.
<b>Use</b>	<ul style="list-style-type: none"> <li>• Maintenance: Under normal conditions of use, this type of product requires no servicing or maintenance.</li> <li>• No consumables are necessary to use the products.</li> <li>• Product category: passive product.</li> <li>• Use scenario: non-continuous operation for 20 years at 30% of rated load, for 30% of the time.</li> </ul> <p>This modelling duration does not constitute a minimum durability requirement.</p> <ul style="list-style-type: none"> <li>• Energy model: Electricity US/2000.</li> </ul>
<b>End of life</b>	In view of the data available on the date of creation of the document, and in accordance with the requirements of the PCR of the 'PEP ecopassport' programme, transport of the reference product by road only once, over a distance of 1000 km, to a processing site at end of life was counted.
<b>Software used</b>	EIME version 4.1 and its database, version 11.3



### ENVIRONMENTAL IMPACTS (continued)

		Total for Life cycle		Raw material and manufacture		Distribution		Installation		Use		End of life	
Mandatory indicators	Contribution to greenhouse effect	2.53E+03	G~CO <sub>2</sub>	5.87E+02	23%	1.60E+01	< 1%	0.00E+00	0%	1.91E+03	76%	1.17E+01	< 1%
	Damage to the ozone layer	1.44E-04	g~CFC-11	6.20E-05	43%	1.14E-05	8%	0.00E+00	0%	6.26E-05	43%	8.29E-06	6%
	Eutrophication of water	6.31E-02	g~PO <sub>4</sub> <sup>3-</sup>	5.83E-02	92%	2.75E-04	< 1%	0.00E+00	0%	4.40E-03	7%	1.95E-04	< 1%
	Photochemical ozone formation	6.85E-01	g~C <sub>2</sub> H <sub>4</sub>	2.71E-01	40%	1.38E-02	2%	0.00E+00	0%	3.90E-01	57%	1.00E-02	1%
	Acidification of the air	4.83E-01	g~H+	1.20E-01	25%	2.02E-03	< 1%	0.00E+00	0%	3.60E-01	75%	1.50E-03	< 1%
	Total energy consumed	4.09E+01	MJ	1.14E+01	28%	2.03E-01	< 1%	0.00E+00	0%	2.91E+01	71%	1.48E-01	< 1%
	Consumption of water	7.12E+00	dm <sup>3</sup>	3.74E+00	53%	1.93E-02	< 1%	0.00E+00	0%	3.34E+00	47%	1.41E-02	< 1%

Optional indicators	Depletion of natural resources	3.11E-15	y <sup>-1</sup>	3.08E-15	99%	2.77E-19	< 1%	0.00E+00	0%	2.64E-17	< 1%	2.02E-19	< 1%
	Toxicity of the air	6.31E+05	m <sup>3</sup>	2.01E+05	32%	2.97E+03	< 1%	0.00E+00	0%	4.25E+05	67%	2.21E+03	< 1%
	Toxicity of the water	4.73E+02	dm <sup>3</sup>	2.87E+02	61%	2.01E+00	< 1%	0.00E+00	0%	1.82E+02	38%	1.47E+00	< 1%
	Production of hazardous waste	4.89E-02	kg	7.04E-03	14%	5.54E-06	< 1%	0.00E+00	0%	4.18E-02	86%	4.36E-06	< 1%

The environmental impacts of the reference product are representative of the products covered by the PEP, which therefore constitute a homogeneous environmental family.

The values of these impacts are valid for the context specified in this document. They must not be used directly to draw up the environmental balance sheet for the installation.

Registration number: LGRP-2011-502-v1-en	Drafting rule: PCR PEP ecopassport 2010: 1.0
Authorisation number of checker: VH02	Programme information: <a href="http://www.pep-ecopassport.org">www.pep-ecopassport.org</a>
Date of issue: 09-2011	Validity period: 4 years
Independent verification of the declaration and data, in accordance with ISO 14025: 2006 Internal: <input checked="" type="checkbox"/> External:	
In accordance with ISO 14025: 2006 Type III environmental declaration	
The critical review of the PCR was conducted by a panel of experts chaired by J.Chevalier (CSTB)	
The elements of the present PEP cannot be compared with elements from another programme	

