

Datasheet


LED Satellite – Corridor



CAT. NO. 685212/LI, 685213/LI, 685214/LI, 685215/LI



685212/LI

Specifications		
Cat. No.	685212/LI, 685213/LI	685214/LI, 685215/LI
Type	SPU	AXIOM
Operation Mode	Non - maintained	
Battery	Li-ion 6.4 V, 3.0 Ah	
Operating Voltage	230 - 240 V a.c. 50 Hz	
Power Consumption	2 W	
LED Service Life (LSL)	100,000 hrs	
Body Construction	Polycarbonate	
Operating Temperature	10° C to 40° C	
IP Rating	IP20	
Compliance	AS/NZS 2293, AS/NZS 60598	
Product Marking		

LED Satellite – Corridor


CAT. NO. 685212/LI, 685213/LI, 685214/LI, 685215/LI



FEATURES

- Suitable for all emergency lighting applications.
- Energy efficient: less than 1W energy consumption in stand by mode.
- Easy to install.
- Suitable for different hole sizes.
- One high brightness LED.
- iSmart™ temperature sensing technology for Li-ion battery.
- Electronics designed to lengthen the life of the battery.
- SPU or Axiom options.
- Also available in black.
- 5 Year Warranty.
- Designed and Manufactured in Australia.

Cat. No.	Description	Classification C ₀ /C ₉₀
SPU		
685212/LI	LED Satellite Flex and Plug - White	D80/E16
685213/LI	LED Satellite Flex and Plug - Black	D80/E16
Axiom		
685214/LI	Axiom LED Satellite Flex and Plug - White	D80/E16
685215/LI	Axiom LED Satellite Flex and Plug - Black	D80/E16



Spacing table:

Maximum spacings between luminaires for 0.2 lux (Australia)

Mounting Height (m)	2.4	2.7	3	3.3	3.6	4.0
A	13.2	14.8	16.5	18.1	19.8	22.0
B	9.1	9.8	10.4	11.0	11.5	12.1

As per AS/NZS 2293:2018

Maximum spacings between luminaires for 1 lux (New Zealand)

Mounting Height (m)	2.4	2.7	3	3.3	3.6	4.0
A	12.5	12.9	13.3	13.6	13.8	14.1
B	6.1	6.4	6.5	6.6	6.6	6.4

As per AS/NZS 2293:2018



LED Satellite – Corridor

CAT. NO. 685212/LI, 685213/LI, 685214/LI, 685215/LI





DIMENSIONS

Fascia





Type	Diameter (X*)
Satellite (No trim)	60 mm
Small Ring	80 mm
Medium Ring	120 mm
Large Ring	150 mm

SPU Power Pack



AXIOM Power Pack



Legrand - Australia
1300 369 777
www.legrand.com.au
ABN 31 000 102 661

Legrand - New Zealand
0800 476 009
www.legrand.co.nz

Refer to your group buying office, Legrand Sales Representative or Legrand Sales office for pricing.

Please note: specifications are subject to change without prior notice.