

Data Sheet



Excel Life™ Medical Range, Common Plate Vertical Single Powerpoint 10A – Antimicrobial*

with Power Available LED, marked “RCD PROTECTED” and Circuit ID option

CAT NO. **ECV787NCAWE, ECV787NCABU, ECV787NCARD, ECV787NIDCAWE, ECV787NIDCABU, ECV787NIDCARD**



ECV787NCAWE



ECV787NCARD

Cat No	ECV787NCAWE, ECV787NCABU, ECV787NCARD ECV787NIDCAWE, ECV787NIDCABU, ECV787NIDCARD
Description	Excel Life™ Medical Range, Common Plate – Vertical Single Powerpoint 10A – Antimicrobial with Power Available LED, marked “RCD PROTECTED” (Circuit ID option)
Supply voltage	230 – 240V a.c.
Frequency	50Hz
Current	10A
Protection against solid bodies	IK04
IP rating	IP30
Power Available LED	Amber
Colour	White(WE), Blue(BU) or Red(RD)
Plate size	74mmW x 118mmH x 10mmD
Mounting centres	84mm
Operating temperature	5° to 35°C
Glass/tile cut out	56mm x 96mm
Standard	AS/NZS 3112

Excel Life™ Medical Range, Common Plate Vertical Single Powerpoint 10A – Antimicrobial*



with Power Available LED, marked “RCD PROTECTED” and Circuit ID option

CAT NO. **ECV787NCAWE, ECV787NCABU, ECV787NCARD, ECV787NIDCAWE, ECV787NIDCABU, ECV787NIDCARD**



- Chemical Resistant and Antimicrobial
- Internal safety shutters for extra safety
- Power Available LED (Amber)
- More fixing options – 4 corners
- Retained terminal screws
- Available with Circuit ID
- Marked with “RCD Protected”
- Colour White, Blue (UPS), Red (Essential)

*Antimicrobial Specifications			
Maintenance	Surface cleaning with cloth: Hospital-grade water-based cleaners only. Do not use any solvent based cleaner such as acetone, tar-remover or trichloroethylene.		
Antimicrobial Properties	Challenge Organism	Polycarbonate alloy in facia parts	Polycarbonate alloy in switch dolly
		Reduction Coefficient/Kill Rate	
Note: 5 Log = 99.9999% 4 Log = 99.99% 3 Log = 99.9% 2 Log = 99%	Escherichia Coli	2.55 Log / 99.72%	6.72 Log / 99.9999%
	Staphylococcus aureus	2.70 Log / 99.79%	5.22 Log / 99.9999%
	Tests performed according to JIS Z 2801:2010 (Antimicrobial products – Test for antimicrobial activity and efficacy). Test method is equivalent to procedure detailed in ISO 22196:2011 (Measurement of antibacterial activity on plastics and other non-porous surfaces). Test results available upon request. Not to be used as an alternative or substitute for standard hygienic practices, procedures, or protocols. This device has a long-term antimicrobial effect. Lifespan is dependent upon cleaning procedures and the use of recommended cleaning products. Product manufactured with antimicrobial material based on Ag+ ions. This technology limits the proliferation of bacteria on our devices without increasing antibiotic resistance.		

Single product		
Cat No	Dimensions	Barcode
ECV787NCAWE	85mmW x 117mmH x 50mmD	9321001427841
ECV787NCABU	85mmW x 117mmH x 50mmD	9321001427858
ECV787NCARD	85mmW x 117mmH x 50mmD	9321001427865
ECV787NIDCAWE	85mmW x 117mmH x 50mmD	9321001427872
ECV787NIDCABU	85mmW x 117mmH x 50mmD	9321001427889
ECV787NIDCARD	85mmW x 117mmH x 50mmD	9321001427896

Inner box (QTY 10)		
Cat No	Dimensions	Barcode
ECV787NCAWE	175mmW x 165mmH x 125mmD	9321001428657
ECV787NCABU	175mmW x 165mmH x 125mmD	9321001428664
ECV787NCARD	175mmW x 165mmH x 125mmD	9321001428671
ECV787NIDCAWE	175mmW x 165mmH x 125mmD	9321001428688
ECV787NIDCABU	175mmW x 165mmH x 125mmD	9321001428695
ECV787NIDCARD	175mmW x 165mmH x 125mmD	9321001428701

Outer box (QTY 120)		
Cat No	Dimensions	Barcode
ECV787NCAWE	608mmW x 308mmH x 340mmD	9321001429463
ECV787NCABU	608mmW x 308mmH x 340mmD	9321001429470
ECV787NCARD	608mmW x 308mmH x 340mmD	9321001429487
ECV787NIDCAWE	608mmW x 308mmH x 340mmD	9321001429494
ECV787NIDCABU	608mmW x 308mmH x 340mmD	9321001429500
ECV787NIDCARD	608mmW x 308mmH x 340mmD	9321001429517

HPM Legrand - AUS
1300 369 777
www.legrand.com.au
ABN 31 000 102 661

HPM Legrand - NZ
0800 476 009
www.legrand.co.nz

Refer to your group buying office, HPM Legrand Sales Representative or HPM Legrand Sales Office for pricing.

Please note: specifications are subject to change without prior notice.