Excel	Range	permanent	connection	units	

Excel Range powerpoints 230 - 240V a.c.

5	XLP770/2PC	2 gang plate with cord clamp, 1 x 10A mech (Gloss)
5	XLP770/2PC15	2 gang plate with cord clamp, 1 x 15A mech (Gloss)

10	XL787P
10	XL787PN
10	XL787PR

Single powerpoints, double pole Plate size: 117 x 73mm. Mounting centres: 84mm

10A single powerpoint, double pole

10A single powerpoint, double pole with neon

10A single powerpoint, double pole with round earth



XL787

Pack	Cat No.	Single powerpoints Plate size: 117 x 73mm. Mounting centres: 84mm
10	XL787	10A single powerpoint
10	XLP787	10A single powerpoint (Gloss)
10	XL787S	10A single powerpoint with safety shutter
10	XLP787S	10A single powerpoint with safety shutter (Gloss)
10	XL787R	10A single powerpoint with round earth
10	XLP787R	10A single powerpoint with round earth (Gloss)
10	XL787NS	10A single powerpoint with neon & safety shutter
10	XL787RS	10A single powerpoint with round earth & safety shutter
10	XL787RNS	10A single powerpoint with round earth, neon & safety shutter
10	XL787/15	15A single powerpoint
10	XLP787/15	15A single powerpoint (Gloss)
10	XL787/15S	15A single powerpoint with shutters
10	XLP787/15S	15A single powerpoint with shutters (Gloss)
10	XL787/15NS	15A single powerpoint with neon & safety shutter
10	XL787/20	20A single powerpoint, triple spacing between single & powerpoint
10	XLP787/20	20A single powerpoint (Gloss) ,triple spacing between single & powerpoint
10	XL787/20N	20A single powerpoint with neon
10	XL787/25	25A single powerpoint
10	XLP787/25	25A single powerpoint (Gloss)
10	XL787/25N	25A single powerpoint with neon
10	XL787/32	32A single powerpoint
10	XLP787/32	32A single powerpoint (Gloss)


		(L/8/X
Pack	Cat No.	Single powerpoints with extra switch Plate size: 117 x 73mm. Mounting centres: 84mm
5	XL787X	10A single powerpoint with extra switch
5	XLP787X	10A single powerpoint with extra switch (Gloss)
5	XL787XS	10A single powerpoint with extra switch & safety shutter
5	XLP787XS	10A single powerpoint with extra switch & safety shutter (Gloss)
5	XL787XNS	10A single powerpoint with extra switch, neon & safety shutter (Gloss plate available)
5	XL787XR	10A single powerpoint with extra switch & round earth
		10A single powerpoint with extra

XI 787X

switch, round earth & safety shutter 15A single powerpoint with extra XL787X15WE switch

XL787XNV

XL787XRS



10

10

No-volt powerpoints

Plate size: 117 x 73mm. Mounting centres: 84mm When power to the circuit is interrupted (no volt) the relay drops out. After power is restored, the relay must be manually reset. Ideal for load shedding of non essential loads. Allows greater restart without in-rush loads.

10A single powerpoint with extra switch, no volt

10A single powerpoint with extra switch, no volt (Gloss)

15A single powerpoint with extra switch

Colour Options for the Excel Range

ኅ <mark>ዘPM</mark>

How to order

Excel Range is available in various colours and metallic finishes. When ordering add ordering code/s to the end of Cat. No.

e.g. XLP777**BU**, XL777**BLMS**

Please note: Not all colours and/or metallic finishes are available on all products. Please check when ordering. Minimum quantities may apply.

XLP	Gloss Finish Colours Available							
	White	Cream	Beige	Mist Grey	Brown	Black		
High Gloss Cover Plate	WE	CR	BE	MG	BR	BL		

VI	Matt Finish Colours Available									
	۸L	White	Cream	Beige	Mist Grey	Brown	Black	Red	Blue	Green
Regular Cove	er Plate	WE	CR	BE	MG	BR	BL	RED	BU	GR

Metallic Finishes Available								
Polished Silver PS	Matt Silver MS	Stainless Steel* SS	Stone Metal SM	Brushed Brass* BB	Polished Brass PB			

*Solid Metal

